

# History of Blue-Point



**1925**Blue Point Tool Company was formed



1930
Snap-on Wrench Company and Blue Point Tool
Company merged to become Snap-on Tools, Inc.



**1940**Superior tools from
Snap-on, Inc. Making
headlines in the industry



**1945**Forged Steel Products
Company finally merged into Snap-on Tools, Inc.

Founded in 1925, Blue Point Tool Company was formed in Wisconsin, United States, as a tools manufacturing company. The Blue Point name was derived then from the blue-coloured tip of punches & chisels formed after oil quenching and tempering. This distinguished Blue Point's products from competitors' and Blue Point eventually became a brand synonymous with quality hand tools.

Following the successful introduction of the Blue Point punches and chisels, the management turned to their Milwaukee supplier factory to provide open end wrenches and issued this order: "Forget competition, forget price, forget precedent; just take our order to make the best wrench in the world, and we will sell them regardless of competition and regardless of price." A short time later the factory delivered their first set of eight open end wrenches and guaranteed that it was IMPOSSIBLE - to break the head; to spread the jaws; to bend the handle; to injure them; or, to destroy their everlasting efficiency. That sounded like a pretty wild and extravagant claim, but the sales force set out to sell them on that basis...and sell them they did!



# Contents

	TOOL STORAGE Roll Cabinets Roll	Carts Tool Boxes	Roll Cab Accessories	1-7
	MASTER TOOL S General Service Sets	SETS  Automotive Tool Sets	Modular Tool Sets	8-19
	SOCKETS, RATC	HETS & ACCESS	ORIES	20-37
2	WRENCHES Wrench Sets Double Open End Wrenche L and T shape Wrenches	Adjustable Wrenche s Offset Box Wrenche Other Wrenches		38-47
The state of the s	SCREWDRIVERS Screwdrivers Bi			48-53
		Standard Pliers Retaning Ring Pliers	VDE Pliers Special Pliers	54-69
	TORQUE TOOLS Adjustable Click-Type Electronic Type	Preset Click-Type Digital Torque Tester	rs	70-75
	POWER TOOLS Air Tools Impact Sockets	Cordless Tools Accessories		76-105
	STRIKING & CUT Hammers	TING Punches & Chisels	Cutting Tools	106-115
(ar)	MEASURING & O Measuring Tools Safety	THER HAND TOC Flashlights Miscellaneous	DLS	116-129
	SHOP & TECHNIC Testing and Electronics	CIAN TOOLS  Special Tools	Automotive Specialty Tools	130-157
	SHOP EQUIPMENT Shop Equipment	NT		158-161



Tool Storage





Getting organized for the job gives you more than you may have realized. You can be sure that tools you need are readily available. The work space gets less messy and you focus better. No more searching of tools all over and replacement of missing tools. Time is spent more productively and work is done more efficiently. End of the day, you feel better and you look forward to your day's work, with your tools.

Professionals have long realized that and they work with pride. And we have been providing the exact tool storage they require to make this possible. Our tool storage are designed with the latest computer-aided design systems and built to last the daily knocks of the work environment they are put into. Our paint and finishing systems deliver the finest, most durable finishes available and our rigorous testing ensures a trouble free lifetime of service.

Roll Cabinets Roll Carts Tool Boxes Roll Cab Accessories

2 3 4 7





# Tool Storage Roll Cabinets

#### 6 Drawers Roll Cab

#### KRB2006KPQP

Order NO.: 101009



Cubic (CIII )	iver vveič	Jiii (kg)	Shipping weight (kg	
156,791	75		95	
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	6	660	503	965
Drawers	5	544	445	91
	1	544	445	193

#### Colors Available

KRB2006KPQR

Order NO : 101010

- Full double walled construction making for a stronger box which resists the constant pounding of weight and vibration
- Stiffeners are added between the walls to reduce stress on the box and keep the drawers from sagging
- · Welded lock tabs on the back of each drawer
- Casters are fastened to the roll cab using weld nuts so they won't loosen over time
- Drawer edges are hemmed to double thickness so they are extra stiff

#### 8 Drawers Roll Cab

#### KRB13008KPRB

Order NO : 101007



Cubic (CIII )	IACT AACIÓ	Jill (Kg)	Shipping Weight (Kg	
168,059	110		129	
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	8	1016	501	961
Drawers	5	543	445	119
Diaweis	1	543	445	250
Cabinet Drawers	2	284	445	40

#### Colors Available

KRB13008KPRR

Order NO.: 101008

- 40" double bank roll cab, greater capacity
- Double-wall design for a more rigid tool box
- Welded lock tabs on the back of each drawer
- Popular choice with side cabinet for your work center
- Full double walled construction making for a stronger box which resists the constant pounding of weight and vibration
- Stiffeners are added between the walls to reduce stress on the box and keep the drawers from sagging

#### 5 Drawers Roll Cab

KRB13005KPRB Order NO.: 101005



Cubic (cm³)	Net Weight (kg)		Shipping Weight (k	
159,387	6′	I		68
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	5	677	501	822
	1	543	445	54
Drawers	2	543	445	119
	2	543	445	184

Colors Available

KRB13005KPRR

Order NO : 101006

- High grade steel plate with PE Powder painting for better flowing property to avoid peel
- 45 kg slider with fully-openable drawers
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation

#### 6 Drawers Roll Cab

#### KRB13006KPRB

Order NO : 101003



Net Weight (kg)		Shipping Weight (kg	
65	5	7	72
Drawers	Width (mm)	Depth (mm)	Height (mm)
6	677	501	822
3	543	445	54
2	543	445	119
1	543	445	250
	Drawers 6 3	65  Drawers Width (mm)  6 677  3 543  2 543	65         7           Drawers         Width (mm)         Depth (mm)           6         6777         501           3         543         445           2         543         445

Colors Available

KRB13006KPRR

Order NO : 101004

- High grade steel plate with PE Powder painting for better flowing property to avoid peel
- 45 kg slider with fully-openable drawers
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation

#### 8 Drawers Roll Cab




Drawers made using 20 AWG steel



Lock & Roll mechanism to prevent drawers from sliding open











Cabinet door edges are folded to form a seamless fit without gaps when closed; Cabinets walls reinforced with stiffeners to provide extra strength



Reinforced base design to withstand higher overall load and reduce sagging



Large 5" castor wheels are bolt fastened for better rolling and durability



Drawer edges are hemmed to double thickness to be extra



# Tool Storage Roll Cabinets / Roll Carts

#### 7 Drawers Roll Cab

#### KRB13007KPRB

Order NO.: 101001



Cubic (cm³)	Net Weig	jht (kg)	Shipping Weight (kg	
153,695	68		75	
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	7	677	501	822
	5	543	445	54
Drawers	1	543	445	119
	1	543	445	250

#### Colors Available

KRB13007KPRR

Order NO : 101002

- High grade steel plate with PE Powder painting for better flowing property to avoid peel
- 45 kg slider with fully-openable drawers
- Bigger sized with greater capacity at 508 kg
- Tubular lock-stronger over molded key lock
- Ribs added for enhanced strength to prevent cabinet deformation

#### 5 Drawers Top Chest

#### KRB2055KPQP

Order NO : 101011



Cubic (cm )	net wei	gnt (kg)	Snipping weight (kg	
72,824	38		44	
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	5	660	374	437
Drowers	4	566	334	47
Drawers	1	566	334	79

#### Colors Available

KRB2055KPQR

Order NO.: 101012

- Can be placed on all Blue-Point rollcabs as a top chest
- Lockable top lid
- Side grooves for easy lifting

#### 1 Drawer Roll Cart

#### KRBC3TDPCM

Order NO.: 102003



Net Weight (kg)		Load Capacity (kg)		
29.5		136		
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	1	813	452	920
Trays	_	762	686	102
Drawer	1	368	686	102

Colors Available

KRBC3TD

Order NO.: 102004

- Features 4" deep locking drawer with tubular lock for added tool
- Two sturdy, 3" deep trays are positioned for convenience
- Friction drawer slides
- Made of heavy-gauge steel

#### 4 Drawers Flip-Top

#### KRBC7TDPCM

Order NO : 102005



ivet vveight (kg)			au Gapaci	ry (kg)
56.2		_		
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	4	889	431	1,041
	2	350	399	51
Drawers	1	700	391	51
	1	700	391	102
Bottom Shelf	1	700	391	76

Colors Available

KRBC7TD

Order NO.: 102006

- Latch System to unlock all 4 drawers once the top lid has been opened with a
- Folding side work shelf provides extra work space
- Padded lid provides an additional work surface
- · Locking prybar compartment securely holds all length prybars and screwdrivers

#### 2 Shelves

#### KRBC2TCPCM Order NO.: 102001



Net Weight (kg)			Load Cap	acity (kg)
17.2			15	i9
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	_	756	428	920
Trays	_	756	428	75

#### Colors Available

KRBC2TC

Order NO.: 102002

- This model cart offers a more rugged construction
- Cart is also slightly larger than past models
- Trays feature rolled edges for improved strength and rigidity
- Maximum load capacity 68kg per tray
- Welded post holders
- Two locking casters

#### 4 Drawers Flip-Top

#### KRBC10TBPCM

Order NO.: 102007



Cubic (cm <sup>3</sup> )		Load Capacity (kg)		
121,70	0		245	
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	4	775	520	1,048
	2	292	445	64
Drawers	1	622	445	64
	1	622	445	64
Bottom Shelf	2	762	483	89
Top Compartmen	-	762	483	64

Colors Available

KRBC10TB

Order NO.: 102008

- Auto locking mechanism locks drawers when lid is closed
- Plated fasteners resist corrosion and self locking nuts assure a rigid, secure assembly
- Non-toxic mats in shelf, drawers and top compartment protect unit and keep tools from sliding















# Tool Storage Roll Carts / Tool Boxes

#### 4 Drawers Sliding Top Roll-Cart

#### **KRBCSSTPCM**

Order NO.: 102009



Cubic (cm <sup>3</sup> )	Net Wei	ght (kg)	Load Capacity (	
261,062	56		1:	36
	Drawers Width (mm)		Depth (mm)	Height (mm)
Specifications	2	747	524	982
Top Compartment	_	747	524	172
Drawers	2	745	445	69
Bottom Shelf	_	745	445	76

#### Colors Available



KRBCSST

Order NO.: 102010

- Padded lid protects finish and provides additional work surface
- Roller bearing slide drawers, locking slide top, internal prybar holder
- Dual locking casters keep cart in place during use

#### 2 Drawers Flip-Top Roll-Cart

KRBC15TPCM Order NO.: 102013



Net Weight (kg)			Load Cap	acity (kg)
4	0		13	36
	Drawers	Width (mm)	Depth (mm)	Height (mm)
Specifications	4	671	465	1,077
Trays	_	660	300	112
Drawer	2	572	386	97
Bottom Shelf	1	667	456	331

\*Shown here with optional top chest KRBC15TPCMTC not included

#### Colors Available



KRBC15T

Order NO.: 102014

- Padded lid protects finish and provides additional work surface
- Removable top chest locks to cart
- Two roller bearing slide drawers on both the top chest and cart
- EVA liners in all drawers and bottom compartment

#### Metal Tool Box

KRBK17

Order NO.: 103016



Length (mm)	Width (mm)	Height (mm)
425	153	114

- Portable steel tool box for users who prefer metal material over
- High grade steel for greater strength & toughness
- DuPont PE powder painting for better protection against peel

#### **Metal Tool Box**

KRBK24

Order NO.: 103017



Length (mm)	Width (mm)	Height (mm)
511	199	195

- Portable steel tool box for users who prefer metal material over
- High grade steel for greater strength & toughness
- PE powder painting for better protection against peel
- Triple latched to prevent box from opening when dropped
- Additional internal metal tray for separating small tools

#### Tool Box 18"

KRW48C

Order NO.: 103002



Cubic (cm³)	Dimensions (mm)
25,070	457 x 254 x 337

- Split top opening for tool access
- · Cantilever trays on either side of cover, carrying handle



KRW183C

Order NO.: 103005

# Tool Storage Tool Boxes

#### Tool Box 24"



Cubic (cm³)	Dimensions (mm)
41,623	Trays: 546 x 117 x 36 Bottom Section: 599 x 295 x 184 Overall: 610 x 305 x 305

- Rugged construction featuring reinforced feet formed cantilever bars and larger hasps for strength in use
- Comfortable, recessed soft grip handle permits stacking of kits or other items in transit
- Cantilever design allows immediate visibility and access to all your
- Huge bottom section holds large items, such as power tools and larger hand tools
- Lightweight: 12.3 kg

#### Tool Box 18", 2 Drawers



Cubic (cm³)	Dimensions (mm)
18 630	470 x 216x 241

• Net weight: 5.67 kg • Shipping weight: 6.58 kg KRU24B

KRW182B

Order NO.: 103004

#### Tool Box 20", 3 Drawers



Cubic (cm³)	Dimensions (mm)
26,830	Overall: 523 x 216 x 305 Each Drawer: 452 x 186 x 64

- Drawers lock when lid is closed
- Net weight: 9.07 kg

#### Tool Box 20", 4 Drawers



KRW184B

Order NO.: 103006

Cubic (cm³)	Dimensions (mm)
30,330	Overall: 523 x 216 x 362 Each Drawer: 452 x 186 x 64

- Four drawers lock when lid is closed
- Tote tray not included
- Net weight: 11.07 kg

#### Plastic Tool Box 20"

BPBOX20 Order NO.: 103018

















# Tool Storage Tool Boxes

#### Tool Bag 17"

#### **BPTOTE**

Order NO.: 103001



Length (mm)	Width (mm)	Height (mm)
419	267	311

- Rugged and versatile
- Constructed from heavy duty 600 x 300D polyester
- Water resistant
- Embroidered Blue-Point<sup>®</sup> logo
- Wide top opening for easy access
- Multiple interior and external pockets for tool organization

#### Plastic Tool Box 18"

BPBOX18

Order NO.: 103014



Length (mm)	Width (mm)	Height (mm)
445	240	206

- Steel pins for extra durable usage, connecting the lid and the box
- Strong handle and lock material
- Separate top tray to hold small tools

#### Plastic Tool Box 20"

BPBOX20

Order NO.: 103018



Length (mm)	Width (mm)	Height (mm)
558	277	270

- Larger capacity 20" box
- Made from shock-resistant ABS and PP for durability and toughness
- Light weight and portable
- Removable dividers
- Steel pins connecting the lid and box for strength
- Strong handle and lock material

#### Plastic Tool Box 15"

YA481

Order NO.: 103009



Length (mm)	Width (mm)	Height (mm)
368	184	114

- Ideal for a wide range of storage needs
- YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray, and padlock provision are also featured

#### Plastic Tool Box 16"

YA482

Order NO.: 103010



- Length (mm)
   Width (mm)
   Height (mm)

   419
   210
   165
- Ideal for a wide range of storage needs
- YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray, and padlock provision are also featured

#### Plastic Tool Box 20"

YA483

Order NO.: 103011



Length (mm)	Width (mm)	Height (mm)
514	229	197

- Ideal for a wide range of storage needs
- YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray, and padlock provision are also featured

#### Plastic Tool Box 23"

YA484

Order NO.: 103012



Length (mm)	Width (mm)	Height (mm)	
587	260	267	

- Ideal for a wide range of storage needs
- YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray, and padlock provision are also featured

#### Plastic Tool Box 27"

YA486

Order NO.: 103013



Length (mm)	Width (mm)	Height (mm)
699	340	356

- Ideal for a wide range of storage needs
- YA481 through YA486 are made of tough, injection molded plastic to ensure a precise fitting lid and durability
- Top carrying handle, tension latches, tote tray, and padlock provision are also featured



# Tool Storage Roll Cab Accessories

#### Roll Cab Tops



Stock No.	Size (mm)	Description	Packing	Order No.
SKRWT4008	660	wooden top	1	101013
SKRWT4800B	1016	wooden top	1	101014
SKRSST4107	1016	stainless steel top	1	101015

• For use with all Blue-Point roll-cabs of respective sizes (KRB13008KPRB/R uses 1016mm, other models use 660mm)

#### Pry Bar Box



1470K-AC2 Order NO.: 103021

1470K-AC3

1470K-AC4

Order NO.: 103023

- 1470K-AC2 Lockable holder for up to 23 pry bars or screwdrivers
- 18 Steel Gauge thickness
- PE paint, PE texture
- Applicable for Asia Market Only

#### Roll Cab Slots & Dots Side Panel



1470K-AC1



- Slots-N-DotsTM side panel 822 x 419 x 20mm
- Can be hung or screwed on the roll cab side wall
- Mix and match storage accessories
- 18 Steel Gauge thickness
- PE paint, PE texture

#### Can Holder





- 1470K-AC3 18" storage tray; holds up to 6 cans
- 18 Steel Gauge thickness
- PE paint, PE texture
- Applicable for Asia Market Only

#### Foldable Tray



- 1470K-AC1 Folding shelf; 35kg loading capacity
- 18 Steel Gauge thickness
- PE paint, PE texture
- Applicable for Asia Market Only

#### **Document Holder**



- 1470K-AC4 14" Document holder
- 18 Steel Gauge thickness
- PE paint, PE texture
- Applicable for Asia Market Only













Our tool sets comprise of quality tools each carefully selected to suit applications that the set is created for.

Every set is designed to avoid duplication of tools so that you can get a series of tool sets that are complimentary without having too many of the same tools.

Likewise, the tools in each set have been streamlined to cater more accurately to the task and environment it has been created for so you do not pay for tools you will not need.

You will likely find a set that fits your needs in our growing range of tool sets catered to meet today's most commonly faced applications.





**Master Tool Sets** 





# Master Tool Sets General Service Sets

1/4" & 3/8" Drive Socket Set, 155pcs

BLPGSSC155 Order NO.: 201001 1/4" & 1/2" Drive Socket & Tool Set, 78pcs

BLPGSSCM78 Order NO.: 201003





#### Set Components (1/4" Drive):

- 10 fractional (3/16" to 9/16") and 13 metric (4 to 14mm) standard sockets
- 10 fractional (3/16" to 9/16") and 11 metric (4 to 14mm) deep sockets
- 20 assorted 1/4" hex bits with bit holder
- 5 ratchet/socket accessories
- 1 quick release ratchet

#### Set Components (3/8" Drive):

- 13 fractional (1/4" to 1") and 19 metric (6 to 24mm) standard sockets
- 11 fractional (3/8" to 1") and 15 metric (10 to 24mm) deep sockets
- 11 external Torx<sup>®</sup> sockets (E4 to E20)
- 2 spark plug sockets (5/8", 13/16")
- 3 metric hex socket drivers (7, 8, 10mm)
- 4 tamper resistant Torx® socket drivers (T40, T45, T50, T55)
- 6 ratchet/socket accessories
- 1 quick release ratchet
- 1 spinner handle
- Storage case included



#### Set Components (1/4" Drive):

- 12 sockets (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm)
- 4 accessories (quick release ratchet, spinner handle, 4" extension bar and 1/4"F \*1/4"H coupler)

#### Set Components (1/2" Drive):

- 21 sockets (8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32, 34mm)
- 7 accessories (quick release ratchet, 16mm & 21mm spark plug socket, 3", 6" & 10" extension bar, 3/8" F\*1/2" M 3 way adapter)
   Set Components:
- 20 bits: hex bit (3, 4, 5, 6mm), Phillips® bits (#0, #1, #2, #3), square bit (S1 & S2), flat bit (4, 5, 5.5mm), Torx® bits (T8, T10, T15, T20, T25, T27, T30)
- 10 combination wrenches (10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm)
- 3 pliers (side cutter (7"), long nose pliers (6"), slip joint pliers (10"))
- 1 adjustable wrench (8")
- Storage case included

# 1/4" & 1/2" Drive Socket & Tool Set





# Master Tool Sets General Service Sets

1/4" & 3/8" Drive Socket & Wrench Set. 100pcs

BLPGSSC100 Order NO.: 201002

1/4", 3/8" & 1/2" Drive Torx® Bit Socket Set. 43pcs

BLPTSSC43 Order NO.: 201004



#### Set Components (1/4" Drive):

- 10 fractional (3/16" to 9/16") and 13 metric (4 to 14mm) standard sockets
- 5 ratchet/socket accessories
- 1 ratchet

#### Set Components (3/8" Drive):

- 13 fractional (1/4" to 1") and 19 metric (6 to 24mm) standard sockets
- 11 external Torx<sup>®</sup> sockets (E4 to E20)
- 2 spark plug sockets (5/8", 13/16")
- 5 ratchet/socket accessories
- 1 ratchet
- 1 spinner handle

#### **Set Components (Combination Wrenches):**

- 9 fractional combination wrenches (1/4" to 3/4")
- 10 metric combination wrenches (10 to 19mm)
- Storage case included



#### Set Components (1/4" drive):

- 5 external Torx® sockets (E4 to E8)
- 10 tamper resistant Torx® socket drivers (T6 to T10, T15, T20, T25, T27, T30)
- 10 tamper resistant long Torx® socket drivers (T6 to T10, T15, T20, T25, T27, T30)

#### Set Components (3/8" drive):

- 4 external Torx® sockets (E10, E12, E14, E16)
- 3 tamper resistant Torx® socket drivers (T40, T45, T50)
  3 tamper resistant long Torx® socket drivers (T40, T45, T50) Set Components (1/2" drive):
- 4 external Torx® sockets (E18, E20, E22, E34)
- 2 tamper resistant Torx® socket drivers (T55, T60)
- 2 tamper resistant long Torx® socket drivers (T55, T60)
- Storage case included

1/4" Drive Stubby Bit Socket Set, 40pcs

BLPBSS40 Order NO.: 201005 1/4" Drive Socket Set, 62pcs

BLPGSS1462 Order NO.: 201006



#### **Set Components:**

- 10 metric hex drivers (2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10mm)
- 10 fractional hex drivers (5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8")
- 10 Torx<sup>®</sup> tamper proof drivers (TP8, TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP50)
- 6 XZN triple square drivers (XZN4, XZN5, XZN6, XZN8, XZN10, XZN12)
- 2 Phillips® drivers (#1, #2)
- 2 flat tip drivers (1/4", 3/8")
- Storage case included



- 11 fractional (3/16" to 5/8") and 11 metric (4mm to 14mm) standard
- 11 fractional (3/16" to 5/8") and 11 metric (4mm to 14mm) deep sockets
- 1 bit holder
- 4 hex bits (9/64", 3/16", 7/32", 1/4")
- 3 flat tip bits (5/32", 3/16", 1/4")
- 2 Phillips<sup>®</sup> bits (#1, #2)
- 7 ratchet/socket accessories
- 1 ratchet
- Storage case included











# Master Tool Sets General Service Sets

1/4" Drive Socket Set. 51pcs

BLPGSS1451A Order NO.: 201007

1/4" Drive SAE Socket Set, 22pcs

BLPGSS1422 Order NO.: 201008

BLPGSSCT71

Order NO.: 201010





#### Set Components:

- 10 fractional (3/16" to 9/16") and 13 metric (4 to 14mm) standard sockets
- 3 fractional (1/4", 5/16", 3/8") 8 pt. sockets
- 6 Torx<sup>®</sup> socket drivers (T8 to T27)
- 6 fractional hex socket drivers (1/8" to 5/16")
- 3 flat tip socket drivers (5/32", 7/32", 9/32")
- 3 Phillips® socket drivers (#0, #1, #2)
- 6 ratchet/socket accessories
- 1 ratchet
- Storage case included



#### Set Components:

- 11 6 pt. sockets (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8")
- 11 6 pt. deep sockets (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8")
- Storage case included

3/8" Drive Socket Set, 85pcs

BLPGSS3885 Order NO.: 201009



#### **Set Components:**

- 13 fractional (1/4" to 1") and 14 metric (6 to 19mm) standard sockets
- 13 fractional (1/4" to 1") and 14 metric (6 to 19mm) deep sockets
- 11 external Torx® sockets (E4 to E20)
- 1 Phillips® socket driver (#3)
- 2 Pozidriv<sup>®</sup> socket drivers (#3 and #4)
- 8 tamper resistant Torx<sup>®</sup> socket drivers (T10 to T45)
- 2 spark plug sockets (5/8", 13/16")
- 4 ratchet/socket accessories
- 1 ratchet
- 1 breaker bar
- 1 spinner handle
- Storage case included

3/8" Drive SAE Socket Set, 71pcs



- 9 fractional combination wrenches (1/4" to 3/4")
- 10 metric combination wrenches (10 to 19mm)
- 12 fractional (5/16" to 1") and 15 metric (10 to 24mm) 6 pt. standard sockets
- 2 spark plug sockets (5/8", 13/16")
- 1 quick release ratchet
- 1 spinner handle
- 3 extensions (3", 6", 10")1 bit holder (3/8" drive)
- 4 hex bits (1/8", 5/32", 7/32", 1/4")
- 3 flat tip bits (5/32", 3/16", 1/4")
- 4 Phillips® tip bits (#0, #1, #2, #3)
- 2 square tip bits (#1, #2)
- 1 diagonal cutting pliers (7")
- 1 long nose pliers (6")
- 1 groove joint pliers (10")
- 1 adjustable wrench (8")
- Storage case included



BLPGSS1233 Order NO.: 201014

# Master Tool Sets General Service Sets

3/8" Drive Socket Set, 49pcs

BLPGSS3849 Order NO.: 201011



#### **Set Components:**

- 8 fractional (5/16" to 3/4") and 14 metric (6 to 19mm) standard 6 pt.
- 8 fractional (5/16" to 3/4") and 13 metric (7 to 19mm) deep 12 pt. sockets
- 2 extensions (3", 6")
- 1 universal joint
- 1 3/8" female to 1/4" male Adaptor
- 1 ratchet
- Storage case included





#### **Set Components:**

- 8 fractional (5/16" to 3/4") and 14 metric (6 to 19mm) standard 6 pt. sockets
- 4 fractional (5/16"-3/8", 7/16"-1/2", 9/16"-5/8", 11/16"-3/4") and 5 metric (10-11mm, 12-13mm, 14-15mm, 16-17mm, 18-19mm) double open end wrenches
- 2 extensions (3", 6")
- 1 ratchet
- 1 universal joint
- 2 adaptors: 1/4" female x 3/8" male, 3/8" female x 1/4" male
- Storage case included

#### Pass Thru Socket Set, 22pcs

BLPPTSS3822 Order NO.: 201013



#### Set Components:

- BLPPTS38 thru BLPPTS34 (3/8" to 3/4") sockets
- BLPPTSM8 thru BLPPTSM19 (8 to 19mm) metric sockets
- BLPPTA3438 pass thru adaptor
- BLPPTEXT3 extension and BPRFPT10 ratchet
- Storage case included

1/2" Drive Socket Set, 33pcs



- 15 fractional (3/8" to 1 1/4") and 12 metric (12 to 24mm) standard sockets
- 1 breaker bar
- 1 universal joint
- 1 quick release ratchet
- 3 extensions (3", 6", 10")
- Storage case included









# Master Tool Sets General Service Sets / Automotive Tool Sets

#### General Service Set. 27pcs

BLPGSS1427 Order NO.: 202010

#### 1/4", 3/8" & 1/2" Drive Socket & Wrench Set, 100 pcs

BLPATSCM100 Order NO.: 202001





#### Imperial Set:

- 11 Fractional (3/16" to 5/8") 6 pt. Shallow Sockets
- 11 Fractional (3/16" to 9/16") 6 pt. Deep Sockets
- 3 Socket Adaptors/Extensions
- 1 Quick Release Ratchet & 1 Spinner Handle

#### **FEATURES:**

- Square Drive: 1/4"
- Good for automotive and home use
- Range of deep and shallow sockets for common fastener applications
- Ratchet and Handle Driver both available for a variety of jobs

#### 3/8" Drive Socket Set, 77pcs

BLPATSM3877 Order NO.: 202005



#### **Set Components:**

- 19 6 pt. sockets (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm)
- 19 12 pt. deep sockets (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm)
- 11 external Torx<sup>®</sup> sockets (E4, E5, E6, E7, E8, E10, E12, E14, E16, E18, E20)
- 4 hex bit sockets (6, 7, 8, 10mm)
- 2 Phillips® bit sockets (#3, #4)
- 2 PZ bit sockets (#3, #4)
- 8 tamper Torx® bit sockets (TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45)
- 12 accessories (quick release ratchet, 3", 6" & 10" extension bar, 16 & 21mm spark plug sockets, universal joint, 10" flexible handle, 3/8" female x 1/2" male adapter, 3/8" female x 1/4" male adapter, spinner handle, 8" sliding T-handle)
- Storage case included



#### Set Components (1/4" drive):

- 10 sockets (4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm)
  10 deep sockets (4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm)
- 6 accessories (quick release ratchet handle, spinner handle, 1 1/2" & 3" extension bar, universal joint, 6" flexible handle)
- 6 hex bit sockets (3, 4, 5, 6, 7, 8mm)
- 7 flat & Phillips<sup>®</sup> bit sockets (4, 5.5, 6.5mm, #0, #1, #2, #3)
- 4 PZ bit sockets (#0, #1, #2, #3)
- 7 tamper Torx® bit sockets (TT10, TT15, TT20, TT25, TT27, TT30,

#### Set Components (3/8" drive):

- 10 6 pt. sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm)
- 10 deep 12 pt. sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm)
  10 accessories (quick release ratchet, 3", 6" & 10" extension bar, 16mm & 21mm spark plug socket, universal joint, 10" flexible handle, 3/8" female x 1/4" male adapter, 8" sliding T-handle)

#### Set Components (1/2" drive):

- 6 12 pt. sockets (20, 21, 22, 24, 27, 32mm)
- 8 6 pt. impact sockets (14, 15, 16, 17, 18, 19, 21, 22mm)
- 2 accessories (ratchet handle, 5" extension bar) **Set Components:**
- 4 ratcheting wrenches (13, 14, 15, 17mm)
- Storage case included

1/4" Dr. Socket Set, 29pcs

BLPATSM1429 Order NO.: 202002



- 13 6 pt. sockets (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm)
- 11 6 pt. deep sockets (4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm)
- 5 accessories (quick release ratchet, spinner handle, 3" & 6" extension bar, universal joint)
- Storage case included



# Master Tool Sets Automotive Tool Sets

Automotive Tool Set. 120pcs

BLPATSCM120

Order NO.: 202008



#### **FEATURES:**

- Specially Catered to Automotive Workshop
- Complete Set of Common Tools Needed for Regular Passenger
- Vehicle Servicing
- Three Square Drive Sizes range of Sockets
- Oil-Filter Wrench
- Spark Plug Sockets
- Set of L-Shaped Wrenches
- Test Pen

#### Set Components:

- 1/4" Socket 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1/4" Deep Socket 8, 9, 10, 12mm
- 1/4" Ratchet
- 1/4" Spinner Handle
- 1/4" Extension Bar 3"
- 1/4"F\*1/4"H Coupler
- 1/4" Universal Joint
- 1/4" Hex Bit Socket 3, 4, 5, 6, 7, 8mm
- 1/4" Flat Bit Socket 4, 5.5, 6.5mm
- 1/4" Phillips Bit Socket #1, #2, #3
- 1/4" Pozidriv Bit Socket #1, #2
- 1/4" Torx Bit Socket TT10, TT15, TT20, TT25, TT27, TT30, TT40
- 3/8" Socket 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
  3/8" 12pt Deep Socket 13, 14, 15, 17mm
- 3/8" E8, E10, E11, E12, E14, E16, E18, E20
- 3/8" Ratchet
- 3/8" 3" Extension Bar, 6" Extension Bar
- 3/8" Spark Plug Socket 16, 21mm
- 3/8" Universal Joint
- 3/8" Female to 1/4" Male Adaptor
- 3/8" 8" Sliding Handle
- 1/2" 6pt. Socket 20, 21, 22, 24, 27, 32mm
- 1/2" Impact Socket 17, 19, 21, 23mm
- 1/2" Ratchet
- 1/2" 5" Extension Bar
- 1/2" 10" Extension Bar
- 1/2" Universal Joint
- 1/2" Female to 3/8" Male Adaptor
- Adjustable 3-Claw Oil Wrench
- Test Pen
- Hex Key Set (9pcs)
- Bit Set (20pc)
- Combi Wrench 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- Socket for air cylinder T52

#### 3/8" Drive Socket Set. 24pcs



BLPATSM3824 Order NO.: 202004



- 10 12 pt. sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm)
- 10 12 pt. deep sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm)
- 4 accessories (quick release ratchet, 3" extension bar, 16 & 21mm spark plug sockets)
- Storage case included

1/4", 3/8" & 1/2" Socket Set, 128pcs





#### Set Components (1/4" Drive):

- 10 6pt. metric (4 to 13mm) deep sockets
- 10 6pt. metric (4 to 13mm) standard sockets
- 24 socket driver: Flat (4, 5.5, 6.5mm), Hex (3, 4, 5, 6, 7, 8mm), Phillips® (#0, 1, 2, 3), Tamper Resistant Torx® (T10, 15, 20, 25, 27, 30, 40), Pozidriv® (#0, 1, 2, 3)
- 7 accessories (38mm & 75mm extension bar, universal joint, 6" flexible handle, 6" spinner handle, quick release ratchet handle, 1/4"F\*1/4"H bit adaptor)
- 17 bits: Hex (1/8, 5/32, 3/16, 7/32, 1/4"), Flat (7/32, 3/16, 1/4, 9/32"), bit adaptor, Torx® (T8, T10, T15, T20, T25, T27, T30, T40)

#### Set Components (3/8" Drive):

- 10 12pt. metric (10 to 19mm) deep sockets
- 10 6pt. metric (10 to 19mm) standard sockets
- 10 accessories (3/8" female x 1/4" male adaptor, 75mm, 150mm & 250mm extension bar, 10" flexible handle, quick release ratchet handle, universal joint, 8" sliding bar, 6pt. 16mm & 21mm spark plug socket)

#### Set Components (1/2" Drive):

- 6 6pt. metric (20, 21, 22, 24, 27, 32mm) standard sockets
- 8 6pt. metric (14, 15, 16, 17, 18, 19, 21, 22mm) impact sockets
- 3 accessories (125mm extension bar, quick release ratchet handle, 1/4" female x 1/4" hex coupler)

- 4 ratcheting wrenches (13, 14, 15, 17mm)
- 9pcs hex key set (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm)
- Storage case included









# Master Tool Sets Automotive Tool Sets

#### Socket Set, 32pcs



#### Impact Socket Set, 13pcs

BLPATSIMM3813 Order NO.: 202011





#### **Set Components:**

- 1/2" 6pt Socket 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 1/2" 12pt Socket 8, 10, 12, 13, 14, 17, 19mm
- 1/2" Ratchet
- 1/2" Extension Bar 5", 10"
- 1/2" Universal Joint
- 1/2" Sliding Adapter ½" F − 3/8" M

#### **FEATURES:**

- For Automotive and General Fastener Tightening Jobs
- Square Drive: 1/2"
- Improves on existing BLPATSM1225
- Includes smaller sizes 8, 9 & 23 mm sockets
- Additional range of 12 points sockets
- Universal Joint Added for more Applications



#### **Set Components:**

3/8" Dr. Shallow Impact Socket 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### FEATURES:

- Square Drive: 3/8"
- Catered to Complement 3/8" Impact Wrenches
- Automotive and Two-Wheelers Workshops
- Compact Set with Only Commonly Used Sizes
- Complements existing BLPATSIMM1215 (1/2")

#### 1/2" Drive Socket Set, 25pcs

BLPATSM1225 Order NO.: 202003

1/2" Drive Impact Socket Set, 15pcs





#### **Set Components:**

- 19 6 pt. sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36mm)
- 6 accessories (quick release ratchet, 5" & 10" extension bar, 3/8" female x 1/2" male 3 way adapter, 16 & 21mm spark plug socket)
- Storage case included



- 14 6 pt. impact sockets (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24mm)
- 1 impact extension bar (5")
- Storage case included



# Master Tool Sets Modular Tool Sets

#### Double Open End Wrench Set

BPS1 Order NO.: 202012

#### **Combination Wrench Set**

RPS4P

Order NO.: 202015



#### **Set Components:**

• Double Open End Wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm

#### Set Components:

 Combination Wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 45° Double Ring Wrench Set

BPS2 Order NO.: 202013

#### **Ratcheting Combination Wrench Set**

BPS5 Order NO.: 202016



## **Set Components:**

• 45° Double Ring Wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27mm



#### **Set Components:**

 Ratcheting Combination Wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

#### 75° Double Ring Wrench Set

BPS3 Order NO.: 202014

#### Adjustable Wrench Set

BPS6 / BPS6A\*\* Order NO.: 202017 / 202027



#### **Set Components:**

• 75° Double Ring Wrench 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27mm

#### Set Components:

- Adjustable Wrench, 8, 10"
- Curved Jaw Locking Pliers, 7"
- Straight Jaw Locking Pliers, 7"

\*\*BPS6A - for China & India only









# Master Tool Sets Modular Tool Sets

1/4" Square Drive Socket Set

BPS10

#### Standard Pliers Set

BPS7 Order NO.: 202018

Order NO.: 202021





#### **Set Components:**

- 1/4" Long Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 1/4" Hex Socket Driver 3, 4, 5, 6, 7, 8mm
- 1/4" Flat Socket Driver 4, 5.5, 6.5mm
- 1/4" Phillips Socket Driver #1, 2, 3
- 1/4" Pozidriv Socket Driver #1, 2, 3
- 1/4" Torx Socket Driver T8, 10, 15, 20, 25, 27, 30, 40
- 1/4" Sockets 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11,12, 13mm
- 1/4" Quick Release Ratchets Soft Handle
- 1/4" Spinner Handle
- 1/4" Extension Knurled 2.3/3.2"
- 1/4" Extension Knurled 4"
- 1/4" Sliding T-handle 4"
- 1/4" Universal Joint
- 1/4" Flexible Extension 6"
- 1/4" Bit Holder for 1/4" Hex
- 1/4" Adaptor 1/4"-3/8"



#### **Set Components:**

- 6" Needle Nose Pliers
- 6" Diagonal Cutting Pliers
- 8" Combination Pliers
- 8" Slip Joint Pliers

#### Circlip Pliers Set

BPS8

Order NO.: 202019



BPS9

Order NO.: 202020



#### Set Components:

- External Circlip Pliers, Straight, 7"
- External Circlip Pliers, 90 degrees, 7"
- Internal Circlip Pliers, Straight, 7"
- Internal Circlip Pliers, 90 degrees, 7"



- M Series Flat Tip 3.2x75, 5x100, 6x38, 6x150mm
- M Series Phillips Tip 0x75, 1x75, 2x38, 2x100, 3x150mm



# Master Tool Sets Modular Tool Sets

3/8" Square Drive Socket Set

BPS11

Order NO.: 202022

#### Impact Socket Set

BPS13

Order NO.: 202024





#### Set Components:

- 3/8" Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm
- 3/8" Long Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 3/8" Quick Release Ratchets Soft Handle
- 3/8" Spark Plug Sockets 16mm
- 3/8" Spark Plug Sockets 21mm3/8" Sliding T-handle 8"
- 3/8" Adaptor 3/8"-1/4"
- 3/8" Universal Joint
- 3/8" Locking Extension 3"



#### **Set Components:**

- 1/2" Impact Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 3/8" Impact Sockets 7, 8, 9, 10, 11, 12, 13, 14,15, 16, 17, 18, 19mm
- Impact Extensions 3/8" dr. x 3"
- 3/8" Dr. Adaptors 3/8"M x 1/4"F
- Impact Adaptors (M X F) 3/8" x 1/2"
- Impact Extensions 1/2" dr. x 6"
- Impact Adaptors (M X F) 1/2" x 3/8"
- Impact Adaptors (M X F) 1/2" x 3/4"
- Universal Joints 1/2" dr.

1/2" Square Drive Socket Set

BPS12

Order NO.: 202023



BPS14

Order NO.: 202025



#### **Set Components:**

- 1/2" Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 34mm
- 1/2" Long Sockets 10, 13, 17, 19, 22mm
- 1/2" Quick Release Ratchets Soft Handle
- 1/2" Sliding T-handle 15"
- 1/2" Universal Joint
- 1/2" Locking Extension 6"



- Ball Hex Keys Set 1.5-10mm
- L-Shape Torx Wrench Set T10-T50
- L-Shape Hex Keys 12, 14, 17, 19mm







# SOCKETS, RATCHETS & ACCESSORIES



Blue-Point sockets & ratchets are made combining high grade materials with the best manufacturing process available to ensure good performance and fit.

#### **High Grade Materials**

Sockets are made with high alloy content steel for a stronger, more durable tool.

#### **Best Industrial Manufacturing Process**

In making each socket, we employ the best manufacturing process available, adhering to exact treatment conditions and parameters to give it a good mixture of strength and durability.

#### **Better Socket Design**

Our sockets are thin-walled with appropriate broach depth to provide greater access into tight spots and fit better for more applications.

#### **Patented Wrenching System**

Flank Drive<sup>®</sup> is also incorporated into our socket design to achieve a higher torque while preventing rounding of fasteners.



#### **High Efficiency**

The ratcheting gear in Blue-Point ratchets feature high teeth count for working with a shorter swing arc. This allows jobs to be done in tight spots as well as enhancing work output with lesser swings needed.

We incorporate better design and concept wherever applicable to make a better performing tool. Blue-point sockets & ratchets are tools manufactured to the highest quality.

1/4" 3/8" 1/2" 3/4"

22 27 33 37



#### 1/4" Socket, mm





Stock No.	Size (mm)	Length (mm)	i i	Order No.
BLPSM143.5	3.5	25	6	301001
BLPSM144	4	25	6	301002
BLPSM144.5	4.5	25	6	301003
BLPSM145	5	25	6	301004
BLPSM145.5	5.5	25	6	301005
BLPSM146	6	25	6	301006
BLPSM147	7	25	6	301007
BLPSM148	8	25	6	301008
BLPSM149	9	25	6	301009
BLPSM1410	10	25	6	301010
BLPSM1411	11	25	6	301011
BLPSM1412	12	25	6	301012
BLPSM1413	13	25	6	301013
BLPSM1414	14	25	6	301014

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Long Socket, mm





Stock No.	Size (mm)	Length (mm)	<b>I</b>	Order No.
BLPLSM144	4	50	6	301015
BLPLSM145	5	50	6	301016
BLPLSM146	6	50	6	301017
BLPLSM147	7	50	6	301018
BLPLSM148	8	50	6	301019
BLPLSM149	9	50	6	301020
BLPLSM1410	10	50	6	301021
BLPLSM1411	11	50	6	301022
BLPLSM1412	12	50	6	301023
BLPLSM1413	13	50	6	301024
BLPLSM1414	14	50	6	301025

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Socket, inches





Stock No.	Size (inches)	Length (mm)	i i	Order No.
BLPS14532	5/32	25	6	301026
BLPS14316	3/16	25	6	301027
BLPS14732	7/32	25	6	301028
BLPS1414	1/4	25	6	301029
BLPS14932	9/32	25	6	301030
BLPS14516	5/16	25	6	301031
BLPS141132	11/32	25	6	301032
BLPS1438	3/8	25	6	301033
BLPS14716	7/16	25	6	301034
BLPS1412	1/2	25	6	301035
BLPS14916	9/16	25	6	301036
BLPS1458	5/8	25	6	301037

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Long Socket, inches





Stock No.	Size (inches)	Length (mm)		Order No.
BLPLS14316	3/16	50	6	301038
BLPLS14732	7/32	50	6	301039
BLPLS1414	1/4	50	6	301040
BLPLS14932	9/32	50	6	301041
BLPLS14516	5/16	50	6	301042
BLPLS141132	11/32	50	6	301043
BLPLS1438	3/8	50	6	301044
BLPLS14716	7/16	50	6	301045
BLPLS1412	1/2	50	6	301046
BLPLS14916	9/16	50	6	301047
BLPLS1458	5/8	50	6	301048

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 1/4" Double Square Socket





Stock No.	Size (inches)	Length (mm)	<b>I</b>	Order No.
BLPS81414	1/4	25	6	301049
BLPS814516	5/16	25	6	301050
BLPS81438	3/8	25	6	301051

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" External Torx® Socket





Stock No.	Size	Length (mm)	i i	Order No.
BLPTE144	E4	25	6	301052
BLPTE145	E5	25	6	301053
BLPTE146	E6	25	6	301054
BLPTE147	E7	25	6	301055
BLPTE148	E8	25	6	301056

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### Finger Ratchet



Stock No.	Square Drive (inches)	<b>I</b>	Order No.
FSD14	3/8 male-1/4 female	1	301059
FSD38	1/4 male-3/8 female	1	301060
FSDR	1/4 male-1/4 female	1	301061

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip

#### 1/4" Quick Release Ratchet

Packing: 1



Order NO.: 301057





Description	Gear Teeth
Standard Handle	36
A (mm)	B (mm)
12	25
Repair	Kit
RKRBPRT	R936
	Standard Handle A (mm) 12 Repair

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications
- Uses RKRBPRTR936 ratchet service kit

#### 1/4" Quick Release Ratchet, Soft Grip

Packing: 1

BPRTR936SG

Order NO.: 301058



Square Drive (inches)	Description	Gear Teeth
1/4	Soft Grip Handle	36
Swing Arc	A (mm)	B (mm)
10°	12	25
C (mm)	Repair K	it
143	RKRBPRTF	R936

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications
- Uses RKRBPRTR936 ratchet service kit










#### 1/4" Extension, Knurled





- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Extension, Extra Long Locking



Stock No.	Length (mm)		Order No.
BLPEXTL1412	305	6	301067
BLPEXTL1418	457	6	301068
BLPEXTL1424	610	6	301069

- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions
- Do not use with power or impact tools

#### 1/4" Flexible Extension

Packing: 6

BLPEXTF146 Order NO.: 301070



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



Packing: 6

BLPSTHD144 Order NO.: 301072



Stock No.	Length (mm)
BLPSTHD144	114

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Spinner Handle

Packing: 6

BLPCGHD146 Order NO.: 301073



Stock No.	Length (mm)
BLPCGHD146	152

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 1/4" Universal Joint

Packing: 6





Stock No.	Length (mm)
BLPUJ14	38

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

# 1/4" Adaptor

Packing: 6

BLPAFM1438 Order NO.: 301075





Stock No.	Internal Square Drive (inches)	External Square Drive (inches)
BI PAFM1438	1/4	3/8

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Bit Holder

Packing: 6

BLPTMBS1414 Order NO.: 301076






Stock No.	Length(mm)	Description		
BLPTMBS1414	27	for <sup>1/</sup> / <sub>4</sub> " Hex Bits		

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Torx® Socket Driver



	Stock No.	Size	Length (mm)		Order No.
	BLPTS0148	T8	19	6	301077
	BLPTS01410	T10	19	6	301078
	BLPTS01415	T15	19	6	301079
	BLPTS01420	T20	19	6	301080
	BLPTS01425	T25	19	6	301081
-	BLPTS01427	T27	19	6	301082
	BLPTS01430	T30	19	6	301083
	BLPTS01440	T40	19	6	301084
	BLPTS01445	T45	19	6	301085
	BLPTS01447	T47	19	6	301086
-	BLPTS01450	T50	19	6	301087



Manufactured from S2 Steel for longer tool life

#### 1/4" Hex Socket Driver





Stock No.	Size (mm)	Length (mm)		Order No.
BLPHSM0142	2	19	6	301088
BLPHSM01425	2.5	19	6	301089
BLPHSM0143	3	19	6	301090
BLPHSM0144	4	19	6	301091
BLPHSM0145	5	19	6	301092
BLPHSM0146	6	19	6	301093
BLPHSM0147	7	19	6	301094
BLPHSM0148	8	19	6	301095
BLPHSM0149	9	19	6	301096
BLPHSM01410	10	19	6	301097

- The BLPHSM Series of Stubby Hex socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

#### 1/4" Hex Socket Driver, Tamper Resistant





Stock No.	Size (mm)	Length (mm)		Order No.
BLPTHSM0142	2	19	6	301098
BLPTHSM01425	2.5	19	6	301099
BLPTHSM0143	3	19	6	301100
BLPTHSM0144	4	19	6	301101
BLPTHSM0145	5	19	6	301102
BLPTHSM0146	6	19	6	301103
BLPTHSM0147	7	19	6	301104
BLPTHSM0148	8	19	6	301105
BLPTHSM0149	9	19	6	301106
BLPTHSM01410	10	19	6	301107


- The BLPTHSM Series of Stubby Hex Tamper Resistant socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life








# 1/4" Phillips® Socket Driver




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Phillips® Socket Driver, Stubby




- Stubby Phillips® socket drivers feature a reduced fastener depth penetration to increase strength and improve fastener engagement
- Manufactured from S2 Steel for longer tool life

#### 1/4" Pozidriv® Socket Driver




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Triple Square Socket Driver



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Torx, Tamper Resistant




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Flat Tip Socket Driver, Standard



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/4" Flat Tip Socket Driver, Short



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 3/8" Socket



- Flank-Drive features optimal contact point and angle
- Optimal heat treatment & material composition for strength & durability
- Thinner walls to reach better into smaller recesses





#### 3/8" Socket, mm





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)	Î	Order No.
BLPSM386	6	25.5	6	302001	BLPSM3816	16	27	6	302011
BLPSM387	7	25.5	6	302002	BLPSM3817	17	27	6	302012
BLPSM388	8	25.5	6	302003	BLPSM3818	18	27	6	302013
BLPSM389	9	25.5	6	302004	BLPSM3819	19	29	6	302014
BLPSM3810	10	25.5	6	302005	BLPSM3820	20	29	6	302015
BLPSM3811	11	25.5	6	302006	BLPSM3821	21	29	6	302016
BLPSM3812	12	25.5	6	302007	BLPSM3822	22	31	6	302017
BLPSM3813	13	25.5	6	302008	BLPSM3823	23	31	6	302018
BLPSM3814	14	27	6	302009	BLPSM3824	24	31	6	302019
BLPSM3815	15	27	6	302010					

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Long Socket, mm





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)		Order No.
BLPLM386	6	64	6	302020	BLPLM3816	16	64	6	302030
BLPLM387	7	64	6	302021	BLPLM3817	17	64	6	302031
BLPLM388	8	64	6	302022	BLPLM3818	18	64	6	302032
BLPLM389	9	64	6	302023	BLPLM3819	19	64	6	302033
BLPLM3810	10	64	6	302024	BLPLM3820	20	64	6	302034
BLPLM3811	11	64	6	302025	BLPLM3821	21	64	6	302035
BLPLM3812	12	64	6	302026	BLPLM3822	22	64	6	302036
BLPLM3813	13	64	6	302027	BLPLM3823	23	64	6	302037
BLPLM3814	14	64	6	302028	BLPLM3824	24	64	6	302038
BLPLM3815	15	64	6	302029					

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards







#### 3/8" Socket, inches




Stock No.	Size (inches)	Length (mm)		Order No.
BLPS3814	1/4	25	6	302039
BLPS38516	5/16	25	6	302040
BLPS3838	3/8	25	6	302041
BLPS38716	7/16	25	6	302042
BLPS3812	1/2	25	6	302043
BLPS38916	9/16	27	6	302044
BLPS3858	5/8	27	6	302045
BLPS381116	11/16	27	6	302046
BLPS3834	3/4	29	6	302047
BLPS381316	13/16	29	6	302048
BLPS3878	7/8	29	6	302049
BLPS381516	15/16	29	6	302050
BLPS381	1	29	6	302051



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Long Socket, inches







- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" External Torx® Socket



Stock No.	Size	Length (mm)		Order No.
BLPTE384	E4	31	6	302065
BLPTE385	E5	31	6	302066
BLPTE386	E6	31	6	302067
BLPTE387	E7	31	6	302068
BLPTE388	E8	31	6	302069
BLPTE3810	E10	31	6	302070
BLPTE3811	E11	31	6	302071
BLPTE3812	E12	31	6	302072
BLPTE3814	E14	31	6	302073
BLPTE3816	E16	31	6	302074
BLPTE3818	E18	31	6	302075
BLPTE3820	E20	31	6	302076

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Quick Release Ratchet

BPRFR938 Order NO.: 302081

Packing: 1



Square Drive (inches)	Description	Gear Teeth
3/8	Standard Handle	38
Swing Arc	A (mm)	B (mm)
9.5°	14	33
C (mm)	Repair l	
197	RKRBPRF	R938

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- · Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

#### 3/8" Quick Release Ratchet, Soft Grip

BPRFR938SG Order NO.: 302082

Packing: 1



Square Drive (inches)	Description	Gear Teeth
3/8	Soft Grip Handle	38
Swing Arc	A (mm)	B (mm)
9.5°	14	33
C (mm)	Repai	r Kit
197	RKRBPR	RFR938

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grip for improved comfort and performance
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications


#### **Finger Ratchet**



Stock No.	Square Drive (inches)		Order No.
FSDR1	3/8 male-1/4 female	1	302083
FSD1	3/8 male-3/8 female	1	302084

- Reversible, finger ratchet
- Small size works great for extremely tight areas
- Aluminum knurled outer ring for sure grip







#### BLPUJ38 Order NO.: 302096

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Extension, Knurled




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Extension, Extra Long Locking




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Spark Plug Socket, mm



#### 3/8" Spark Plug Socket, inches



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards








#### 3/8" Universal Joint

Manufactured from high-grade alloy steel Offering same quality and




BLPSTHD388



Order NO.: 302095 Packing: 6

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Adaptor



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

# 3/8" Locking Extension



- Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions

#### 3/8" Breaker Bar

#### BLPBB3810 Order NO.: 302094



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 3/8" Bit Holder

Packing: 6

BLPTMBS3814 Order NO.: 302099

Westalk	

Stock No.	(mm)	Description
BLPTMBS3814	19	For <sup>1/</sup> <sub>4</sub> " Hex Bits

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Torx, Tamper Resistant



Stock No.	Square Drive (inches)	А	<b>#</b> ]	•	Order No.
BLPT3810TP	3/8	1 <sup>27</sup> /32	T10	1	302166
BLPT3815TP	3/8	1 <sup>27/</sup> 32	T15	1	302167
BLPT3820TP	3/8	1 <sup>27</sup> /32	T20	1	302168
BLPT3825TP	3/8	1 <sup>27/</sup> 32	T25	1	302169
BLPT3827TP	3/8	1 <sup>27</sup> /32	T27	1	302170
BLPT3830TP	3/8	1 <sup>27/</sup> 32	T30	1	302171
BLPT3840TP	3/8	2	T40	1	302172
BLPT3845TP	3/8	2	T45	1	302173
BLPT3850TP	3/8	2	T50	1	302174
BLPT3855TP	3/8	2	T55	1	302155

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### Pass Thru Socket




Stock No.	Size (mm)	Length (mm)		Order No.
BLPPTSM8	8	37	6	302108
BLPPTSM9	9	37	6	302109
BLPPTSM10	10	37	6	302110
BLPPTSM11	11	37	6	302111
BLPPTSM12	12	37	6	302112
BLPPTSM13	13	37	6	302113
BLPPTSM14	14	37	6	302114
BLPPTSM15	15	37	6	302115
BLPPTSM16	16	37	6	302116
BLPPTSM17	17	37	6	302117
BLPPTSM18	18	37	6	302118
BLPPTSM19	19	37	6	302119

- Pass thru socket design avoids "bottoming out" on long fasteners and threaded rods
- Sockets can reach fasteners in tight spaces with relative ease

#### Pass Thru Socket









- Pass thru socket design avoids "bottoming out" on long fasteners and threaded rods
- Sockets can reach fasteners in tight spaces with relative ease

#### 3/8" Torx® Socket Driver





Stock No.	Size	Length (mm)		Order No.
BLPTS3810	T10	48	6	302123
BLPTS3815	T15	48	6	302124
BLPTS3820	T20	48	6	302125
BLPTS3825	T25	48	6	302126
BLPTS3827	T27	48	6	302127
BLPTS3830	T30	48	6	302128
BLPTS3840	T40	51	6	302129
BLPTS3845	T45	51	6	302130
BLPTS3850	T50	51	6	302131
BLPTS3855	T55	51	6	302132
BLPTS3860	T60	51	6	302133

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Phillips® Socket Driver





Stock No.	Size	Length (mm)		Order No.
BLPP381	#1	47	6	302141
BLPP382	#2	47	6	302142
BLPP383	#3	47	6	302143
BLPP384	#4	47	6	302144

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards







#### 3/8" Pozidriv® Socket Driver





Stock No.	Size	Length (mm)		Order No.
BLPPD381	#1	47	6	302145
BLPPD382	#2	47	6	302146
BLPPD383	#3	47	6	302147
BLPPD384	#4	47	6	302148

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Flat Socket Driver





Stock No.	Size (mm)	Length (mm)		Order No.
BLPFT3855	5.5	47	6	302149
BLPFT3865	6.5	47	6	302150
BLPFT388	8	47	6	302151

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### Pass Thru Ratchet

Packing: 6

BPRFPT10 Order NO.: 302120



• Ratchet features a flex head design that allows for seven different locking positions

#### Pass Thru Extention

Packing: 6

**BLPPTEXT3** Order NO.: 302121



Stock No.	Length (mm)

- 3" extension
- 3/8" drive

#### 3/8" Square Drive Pass Thru Adapter

Packing: 6

BLPPTA3438 Order NO.: 302122



Stock No.	Length (mm)	
BLPPTA3438	32	

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Spinner Handle

BLPCGHD388 Order NO.: 302100

Packing: 6



L	Stock No.	Length (mm)
	BLPCGHD388	219

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Hex Socket Driver



Stock No.	Size (mm)	Length (mm)		Order No.
BLPH383	3	47	6	302134
BLPH384	4	47	6	302135
BLPH385	5	47	6	302136
BLPH386	6	47	6	302137
BLPH387	7	47	6	302138
BLPH388	8	50.5	6	302139
BLPH3810	10	50.5	6	302140

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/8" Triple Square Socket Driver





Stock No.	Size	Length (mm)		Order No.
BLPXZNM0384	M4	27	6	302157
BLPXZNM0385	M5	27	6	302158
BLPXZNM0386	M6	27	6	302159
BLPXZNM0388	M8	27	6	302160
BLPXZNM03810	M10	27	6	302161
BLPXZNM03812	M12	27	6	302162

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 1/2" Socket, mm





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)		Order No.
BLPSM128	8	38	6	303001	BLPSM1219	19	38	6	303012
BLPSM129	9	38	6	303002	BLPSM1220	20	38	6	303013
BLPSM1210	10	38	6	303003	BLPSM1221	21	38	6	303014
BLPSM1211	11	38	6	303004	BLPSM1222	22	38	6	303015
BLPSM1212	12	38	6	303005	BLPSM1223	23	38	6	303016
BLPSM1213	13	38	6	303006	BLPSM1224	24	38	6	303017
BLPSM1214	14	38	6	303007	BLPSM1227	27	38	6	303018
BLPSM1215	15	38	6	303008	BLPSM1230	30	38	6	303019
BLPSM1216	16	38	6	303009	BLPSM1232	32	38	6	303020
BLPSM1217	17	38	6	303010	BLPSM1234	34	38	6	303021
BLPSM1218	18	38	6	303011	BLPSM1236	36	38	6	303022

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Long Socket, mm





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)		Order No.
BLPLM1210	10	76	6	303023	BLPLM1219	19	76	6	303032
BLPLM1211	11	76	6	303024	BLPLM1220	20	76	6	303033
BLPLM1212	12	76	6	303025	BLPLM1221	21	76	6	303034
BLPLM1213	13	76	6	303026	BLPLM1222	22	76	6	303035
BLPLM1214	14	76	6	303027	BLPLM1224	24	76	6	303036
BLPLM1215	15	76	6	303028	BLPLM1227	27	76	6	303037
BLPLM1216	16	76	6	303029	BLPLM1230	30	76	6	303038
BLPLM1217	17	76	6	303030	BLPLM1232	32	76	6	303039
BLPLM1218	18	76	6	303031					

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Socket, inches







Stock No.	Size (inches)	Length (mm)		Order No.	Stock No.	Size (inches)	Length (mm)		Order No.
BLPS12516	5/16	38	6	303040	BLPS121316	<sup>13</sup> / <sub>16</sub>	38	6	303048
BLPS1238	3/8	38	6	303041	BLPS1278	7/8	38	6	303049
BLPS12716	7/16	38	6	303042	BLPS121516	<sup>15</sup> / <sub>16</sub>	40	6	303050
BLPS1212	1/2	38	6	303043	BLPS121	1	40	6	303051
BLPS12916	9/16	38	6	303044	BLPSB121116	1 1/16	40	6	303052
BLPS1258	5/8	38	6	303045	BLPSB12118	1 <sup>1/8</sup>	44	6	303053
BLPS121116	11/16	38	6	303046	BLPSB121316	1 <sup>3</sup> / <sub>16</sub>	44	6	303054
BLPS1234	3/4	38	6	303047	BLPSB12114	1 <sup>1/4</sup>	44	6	303055

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Long Socket, inches





Stock No.	Size (inches)	Length (mm)		Order No.	Stock No.	Size (inches)	Length (mm)		Order No.
BLPL1238	3/8	76	6	303056	BLPL121316	13/16	76	6	303063
BLPL12716	7/16	76	6	303057	BLPL1278	7/8	76	6	303064
BLPL1212	1/2	76	6	303058	BLPL121516	15/16	76	6	303065
BLPL12916	9/16	76	6	303059	BLPL121	1	76	6	303066
BLPL1258	5/8	76	6	303060	BLPLB121116	1 1/16	76	6	303067
BLPL121116	11/16	76	6	303061	BLPLB12118	1 <sup>1</sup> /8	76	6	303068
BLPL1234	3/4	76	6	303062	BLPLB125114	1 <sup>1/</sup> 4	76	6	303069

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards







#### 1/2" Double Hex Socket, mm





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)		Order No.
BLPDM128	8	38	6	303070	BLPDM1218	18	38	6	303080
BLPDM129	9	38	6	303071	BLPDM1219	19	38	6	303081
BLPDM1210	10	38	6	303072	BLPDM1220	20	38	6	303082
BLPDM1211	11	38	6	303073	BLPDM1221	21	38	6	303083
BLPDM1212	12	38	6	303074	BLPDM1222	22	38	6	303084
BLPDM1213	13	38	6	303075	BLPDM1223	23	38	6	303085
BLPDM1214	14	38	6	303076	BLPDM1224	24	38	6	303086
BLPDM1215	15	38	6	303077	BLPDM1227	27	38	6	303087
BLPDM1216	16	38	6	303078	BLPDM1230	30	38	6	303088
BLPDM1217	17	38	6	303079	BLPDM1232	32	38	6	303089

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Double Hex Socket, inches





Stock No.	Size (inches)	Length (mm)		Order No.	Stock No.	Size (inches)	Length (mm)		Order No.
BLPD12516	<sup>5</sup> /16	38	6	303090	BLPD121316	13/16	38	6	303098
BLPD1238	3/8	38	6	303091	BLPD1278	7/8	41	6	303099
BLPD12716	7/16	38	6	303092	BLPD121516	15/16	41	6	303100
BLPD1212	1/2	38	6	303093	BLPD121	1	41	6	303101
BLPD12916	9/16	38	6	303094	BLPDB121116	1 1/16	44	6	303102
BLPD1258	5/8	38	6	303095	BLPDB12118	1 <sup>1/8</sup>	44	6	303103
BLPD121116	11/16	38	6	303096	BLPDB12114	1 <sup>1/</sup> 4	44	6	303104
BLPD1234	3/4	38	6	303097					

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" External Torx® Socket



Stock No.	Size	Length (mm)		Order No.
BLPTE1210	E10	38	6	303105
BLPTE1212	E12	38	6	303106
BLPTE1214	E14	38	6	303107
BLPTE1216	E16	38	6	303108
BLPTE1218	E18	38	6	303109
BLPTE1220	E20	38	6	303110
BLPTE1222	E22	38	6	303111
BLPTE1224	E24	38	6	303112

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Quick Release Ratchet

Packing: 1

BPRSR940

Order NO.: 303117



Square Drive (inches)	Description	Gear Teeth
1/2	Standard Handle	40
Swing Arc	A (mm)	B (mm)
9°	18	44
C (mm)	Repair Kit	
251	RKRBPRSRS	140

- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

#### 1/2" Torx, Tamper Resistant






Stock No.	Square Drive (inches)		<b>#</b> ]		Order No.
BLPT1255TP	1/2	2 <sup>5/</sup> 16	T55	1	303185
BLPT1260TP	1/2	2 5/16	T60	1	303186

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



#### 1/2" Spark Plug Socket, mm



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards


#### 1/2" Spark Plug Socket, inches



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Quick Release Ratchet, Soft Grip

BPRSR940SG



#### 1/2" Extension Knurled



#### 1/2" Locking Extension



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Sliding T-handle

Packing: 6

BLPSTHD1215

Order NO.: 303129



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Universal Joint

Packing: 6

BLPUJ12

Order NO.: 303130





Stock No.	Length (mm)
BLPUJ12	70

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Adaptor

Packing: 6

BLPAFM1238

Order NO.: 303131





-			
	Stock No.	Internal Square Drive	External Square Drive
	Stock No.	(inches)	(inches)
_	BLPAFM1238	1/2	3/8

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards







#### 1/2" Sliding Head

Packing: 6

BLPSH1238 Order NO.: 303132





Stock No.	Length (mm)	
BLPSH1238	37	

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

## 1/2" Speeder

Packing: 6

BLPS12 Order NO.: 303133





- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Hex Socket Driver



Stock No.	Size (mm)	Length (mm)	•	Order No.
BLPH123	3	36.5	6	303143
BLPH124	4	36.5	6	303144
BLPH125	5	36.5	6	303145
BLPH126	6	36.5	6	303146
BLPH127	7	36.5	6	303147
BLPH128	8	36.5	6	303148
BLPH1210	10	36.5	6	303149
BLPH1212	12	36.5	6	303150
BLPH1214	14	36.5	6	303151
BLPH1217	17	36.5	6	303152
BLPH1219	19	36.5	6	303153
BLPH125L180	5	180	6	303154
BLPH126L70	6	70	6	303155
BLPH126L140	6	140	6	303156
BLPH126L250	6	250	6	303157
BLPH128L120	8	120	6	303158
BLPH1210L140	10	140	6	303159

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Torx® Socket Driver



Stock No.	Size	Length (mm)		Order No.
BLPT1220	T20	37	6	303134
BLPT1225	T25	37	6	303135
BLPT1227	T27	37	6	303136
BLPT1230	T30	37	6	303137
BLPT1240	T40	37	6	303138
BLPT1245	T45	37	6	303139
BLPT1250	T50	37	6	303140
BLPT1255	T55	37	6	303141
BLPT1260	T60	37	6	303142

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 1/2" Triple Square Socket Driver





- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards


#### 1/2" Long Torx® Socket Driver



Stock No.	Size	Length (mm)		Order No.
BLPTL1220	T20	100	6	303167
BLPTL1225	T25	100	6	303168
BLPTL1227	T27	100	6	303169
BLPTL1230	T30	100	6	303170
BLPTL1240	T40	100	6	303171
BLPTL1245	T45	100	6	303172
BLPTL1250	T50	100	6	303173
BLPTL1255	T55	100	6	303174
BLPTL1260	T60	100	6	303175



#### 1/2" Long Hex Socket Driver



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/4" Double Hex Socket





Stock No.	Size (mm)	Length (mm)		Order No.	Stock No.	Size (mm)	Length (mm)		Order No.
BLPDM3419	19	47	6	304001	BLPDM3432	32	58	6	304012
BLPDM3421	21	47	6	304002	BLPDM3433	33	60	6	304013
BLPDM3422	22	47	6	304003	BLPDM3434	34	60	6	304014
BLPDM3423	23	50	6	304004	BLPDM3435	35	60	6	304015
BLPDM3424	24	50	6	304005	BLPDM3436	36	63	6	304016
BLPDM3425	25	53	6	304006	BLPDM3438	38	63	6	304017
BLPDM3426	26	53	6	304007	BLPDM3441	41	66	6	304018
BLPDM3427	27	53	6	304008	BLPDM3446	46	68	6	304019
BLPDM3428	28	53	6	304009	BLPDM3450	50	68	6	304020
BLPDM3429	29	53	6	304010	BLPDM3455	55	69	6	304021
BLPDM3430	30	58	6	304011	BLPDM3460	60	72	6	304022

- Manufactured from high grade steel allov
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/4" Quick Release Ratchet

#### BPRSR942



- Features quick release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy clean-up
- All ratchets in series meet or exceed ANSI B107-10M-1996 specifications

#### 3/4" Extension



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/4" Universal Joint

Packing: 6

BLPUJ34

Order NO.: 304029





Stock No.	Length (mm)
BLPUJ34	110
DLFUJ34	110

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards



BLPBB3419

Order NO.: 304028




- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/4" Sliding T-handle

Packing: 6

BLPSTHD3418

Order NO.: 304027



- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards

#### 3/4" L-Shape Wrench

Packing: 6

BLPLW3415

Order NO.: 304030



L	Stock No.	Length (mm)
	BLPLW3415	381

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards









# WRENCHES



Wrench Sets Adjustable Wrenches Combination Wrenches

Double Open End Wrenches

40

42

43

43

Offset Box Wrenches Ratcheting Wrenches

L and T shape Wrenches Other Wrenches

44

44

47

47



The first of Blue-Point wrenches were designed to be unbreakable at its head, unable to spread its jaws or bend its handle, and cannot injure them nor destroy their everlasting efficiency. While most of our wrenches have evolved and improved with time, these core philosophies to quality are observed till today in our design.

Our ratcheting wrench uses gears with higher number of teeth so that you need less swings to tighten and loosen a fastener. In short, you work less to get each job done.

We kept the thickness of the jaws to the minimal without losing its required strength. This allows our wrench to reach better into constricted openings for any tightening or loosening task.

Flexible head is also incorporated into some designs to accommodate awkward working angles.

The ends of our wrench are set in an optimal angle so that you can flip it to get the best working angle.

Nickel chrome exterior finishes the wrench for corrosion resistance and a durable tool.



## Wrenches Wrench Sets

#### Adjustable Wrench Set, 4pcs

Packing: 4

BLPADJ404 Order NO.: 401001



 Includes GAJ6A (6"), GAJ8A (8"), GAJ10A (10") and GAJ12A (12") adjustable wrenches

## Ð\_\_\_

#### Adjustable Wrench Set, 3pcs

Packing: 3

BLPADJ703 Order NO.: 401002



 Includes GAJ15A (15"), GAJ18A (18") and GAJ24A (24") adjustable wrenches

#### Adjustable Wrench Set, 3pcs

Packing: 1

BADJC703 Order NO.: 401003

BLPADJ404SG

Order NO.: 401004



 Includes BADJC6 (6"), BADJC8 (8") and BADJC10 (10") composite handle adjustable wrenches

#### Adjustable Wrench Set, 4pcs

Packing: 4



 Includes GAJ6SG (6"), GAJ8SG (8"), GAJ10SG (10") and GAJ12SG (12") adjustable wrenches

#### Ratcheting Wrench Set



Stock No.		Order No.
BOER708	1	401009
BOER704	1	401010

#### **BOER708**

• Includes 5/16" to 3/4" ratchet combination wrenches

BOER18
BOER20
BOER22
BOER24

#### **BOER704**

 Includes BOER26, BOER28, BOER30 and BOER32 (13/16" to 1") ratchet combination wrenches

#### Ratcheting Wrench Set



Stock No.	i i	Order No.
BOERM712	1	401007
BOERM704	1	401008

#### BOERM712

• Includes 8 to 19mm ratchet combination wrenches

BOERM8	BOERM12	BOERM16
BOERM9	BOERM13	BOERM17
BOERM10	BOERM14	BOERM18
BOERM11	BOERM15	BOERM19

#### BOERM704

 Includes BOERM21, BOERM22, BOERM24 and BOERM25 (21 to 25mm) ratchet combination wrenches



#### Wrenches Wrench Sets

#### Ratcheting Wrench Set, 12pcs

Packing: 1

BOERMF712A Order NO.: 401011

Ratcheting Wrench Set, 8pcs Packing: 1

BOFRS708

Order NO.: 401014



 Includes 8 to 19mm flexible head ratchet combination wrenches

BOERMF8A BOERMF12A BOERMF16A BOERMF9A BOERMF13A BOERMF17A BOERMF10A BOERMF14A BOERMF18A BOERMF11A BOERMF15A BOERMF19A



 Includes 5/16" to 3/4" short ratchet combination wrenches

BOERS10 BOERS18 BOERS12 BOERS20 BOERS14 BOERS22 BOERS16 BOERS24

#### Ratcheting Wrench Set, 12pcs

Packing: 1

BOERMS712 Order NO.: 401013

Packing: 1



Ratcheting Wrench Set, 8pcs

BOERSF708 Order NO.: 401016

 Includes 5/16" to 3/4" short flexible head ratchet combination wrenches

BOERSF10 BOERSF18 BOERSF12 BOERSF20 BOERSF14 BOERSF22 BOERSF16 BOERSF24



ଦ୍ୱା ଦ୍ୱା ଦ୍ୱା ଦ୍ୱା ଦ୍ୱା ଦ୍ୱା ଦ୍ୱା ବ୍ଲାବ୍ୟ • Includes 8 to 19mm short ratchet combination wrenches

• Includes 5/16" to 3/4" flexible head

BOERF18A

BOERF20A

BOERF22A

BOERF24A

ratchet combination wrenches

BOERF10A

BOERF12A

BOERF14A

BOERF16A

BOERMS8 BOERMS12 BOERMS16 BOERMS9 BOERMS13 BOERMS17 BOERMS10 BOERMS14 BOERMS18 BOERMS11 BOERMS15 BOERMS19

#### Ratcheting Wrench Set, 8pcs

Packing: 1

BOERF708A

Order NO.: 401012



Packing: 1

Ratcheting Wrench Set, 12pcs

BOERMFLCG712 Order NO.: 401017



ratchet combination wrenches BOERMFLCG8 BOERMFLCG12 BOERMFLCG16

BOERMFLCG9 BOERMFLCG13 BOERMFLCG17 BOERMFLCG10 BOERMFLCG14 BOERMFLCG18 BOERMFLCG11 BOERMFLCG15 BOERMFLCG19

#### Flexible Head Ratchet Combination Wrench

- High strength with minimal bulkiness
- Highly polished and smooth surface for comfort
- Durable and tough nickel chrome finish

- Flexible head to work in better angles
- High ratcheting gear teeth count for better work efficiency





## Wrenches Wrench Sets / Adjustable Wrenches

#### Ratcheting Wrench Set, 8pcs

Packing: 1

**BOERFLCG708** Order NO.: 401018





Includes 5/16" to 3/4" locking flexible head ratchet combination wrenches

**BOERFLCG10 BOERFLCG18** BOERFLCG12 BOERFLCG20 BOERFLCG14 BOERFLCG22 BOERFLCG16 BOERFLCG24

#### Ratcheting Box Wrench Set, 5pcs

Packing: 1

RBZM605

Order NO.: 401019



• Includes 7-8 to 15-17mm ratcheting box wrenches

RBZM78

RBZM1314

RBZM910

RBZM1517 RBZM1112

#### Ratcheting Box Wrench Set, 5pcs

Packing: 1

**RBZ605** Order NO.: 401020



• Includes 1/4" - 5/16" to 3/4" - 7/8" ratcheting box wrenches

RBZ810 RBZ1214 RBZ1618

#### L-Shape Hex Keys Wrench Set, 9pcs

Packing: 1

BLWSM9

Order NO: 407001



Stock No.		A (mm)	L (mm)		Order No.
BLWM1.5	1.5	13.5	77	6	407022
BLWM2	2	15.5	82	6	407023
BLWM2.5	2.5	17.5	88.5	6	407024
BLWM3	3	19	98.5	6	407025
BLWM4	4	24	104	6	407026
BLWM5	5	27	116	6	407027
BLWM6	6	31	138	6	407028
BLWM8	8	35	158	6	407029
BLWM10	10	39	167	6	407030


- Set includes 1.5-2-2.5-3-4-5-6-8-10mm in plastic holder
- Made from high torque steel
- Ball hex allows angle entry

#### L-Shape Torx Wrench Set, 9pcs

BLWTS9

Order NO.: 407006





<b>#</b> [	A (mm)	L (mm)	# 1	A (mm)	L (mm)
T10	17	86	T30	24	114
T15	18	90	T40	26	124
T20	19	95	T45	29	133
T25	20	100	T50	32	152
T27	21	105			

- Includes T10-T15-T20-T25-T27-T30-T40-T45-T50 in plastic holder
- Made from high torque steel

#### Adjustable





Stock No.*	A (mm)	L (mm)		Order No.	Stock No.*	A (mm)	L (mm)		Order No.
GAJ4A	13	108	6	402001	GAJ15A	43	385	4	402006
GAJ6A	25	160	6	402002	GAJ18A	52	450	2	402007
GAJ8A	29	210	6	402003	GAJ24A	62	610	1	402008
GAJ10A	33	260	6	402004	GAJS30A	85	778	1	402009
GAJ12A	38	310	6	402005					

#### \*For China & India

Stock No.**	A (mm)	L (mm)	•	Order No.	Stock No.**	A (mm)	L (mm)		Order No.
GAJ4AP	13	108	6	402017	GAJ15AP	43	385	4	402022
GAJ6AP	25	160	6	402018	GAJ18AP	52	450	2	402023
GAJ8AP	29	210	6	402019	GAJ24AP	62	610	1	402024
GAJ10AP	33	260	6	402020	GAJS30AP	85	778	1	402025
GAJ12AP	38	310	6	402021					

- \*\*For Rest of Asia
- Wrench features a durable black phosphate finish
- Wide-open jaw design with polished head
- Heat treated steel alloy construction
- Inch scale laser etched on head face



## Wrenches Adjustable / Combination / Double Open End Wrenches

#### Adjustable, Composite Grip





Stock No.*	A (mm)	L (mm)		Order No.
BADJC6	25	164	1	402010
BADJC8	30	218	1	402011
BADJC10	35	267	1	402012

Stock No.**	A (mm)	L (mm)		Order No.
BADJC6AP	25	164	1	402026
BADJC8AP	30	218	1	402027
BADJC10AP	35	267	1	402028

#### \*For China & India

\*\*For Rest of Asia

- Ergonomic, lightweight handle design reduces fatigue while providing easier gripping and greater balance
- Inch scale is laser etched on face
- Fully polished head
- Durable heat treated alloy construction


# Adjustable, Soft Grip

Stock No.*	A(mm)	L (mm)	•	Order No.
GAJ6SG	25	160	6	402013
GAJ8SG	29	210	6	402014
GAJ10SG	33	260	6	402015
GAJ12SG	38	310	6	402016

#### \*For China & India

Stock No.**	A(mm)	L (mm)	•	Order No.
GAJ6SGAP	25	160	6	402029
GAJ8SGAP	29	210	6	402030
GAJ10SGAP	33	260	6	402031
GAJ12SGAP	38	310	6	402032

- \*\*For Rest of Asia
- Now the most popular Blue-Point<sup>®</sup> Adjustable Wrenches are available with soft grips
- Durable black phosphate finish
- Wide open jaw design with oversized capacity
- Laser-etched SAE/metric scale for easy determination of bolt size
- Soft Grip design for added comfort



Stock No.		L (mm)	<b>i</b>	Order No.
BLPCWM36	36	432	6	403023
BLPCWM38	38	432	6	403024
BLPCWM41	41	445	6	403025
BLPCWM46	46	483	6	403026

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards


#### Combination, Regular



Stock No.		L (mm)		Order No.	Stock No.		L (mm)		Order No.
BLPCWM6AP	6	104	6	403040	BLPCWM20AP	20	239	6	403054
BLPCWM7AP	7	110	6	403041	BLPCWM21AP	21	249.8	6	403055
BLPCWM8AP	8	120	6	403042	BLPCWM22AP	22	249.8	6	403056
BLPCWM9AP	9	125	6	403043	BLPCWM23AP	23	269	6	403057
BLPCWM10AP	10	135	6	403044	BLPCWM24AP	24	269	6	403058
BLPCWM11AP	11	144	6	403045	BLPCWM25AP	25	290	6	403059
BLPCWM12AP	12	155	6	403046	BLPCWM26AP	26	290	6	403060
BLPCWM13AP	13	165	6	403047	BLPCWM27AP	27	310	6	403061
BLPCWM14AP	14	175	6	403048	BLPCWM28AP	28	330	6	403062
BLPCWM15AP	15	184	6	403049	BLPCWM29AP	29	330	6	403063
BLPCWM16AP	16	195	6	403050	BLPCWM30AP	30	330	6	403064
BLPCWM17AP	17	204	6	403051	BLPCWM32AP	32	350	6	403065
BLPCWM18AP	18	215	6	403052	BLPCWM34AP	34	350	6	403066
BLPCWM19AP	19	229	6	403053					

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards
- New high polish





Stock No.	<u>•• 1</u>	L (Inches)		Order No.
BDOE1012	<sup>5</sup> /16 - <sup>3</sup> /8	5 <sup>5</sup> /16	6	404026
BDOE1416	<sup>7</sup> /16 - <sup>1</sup> /2	6 <sup>1</sup> /2	6	404027
BDOE1820	<sup>9</sup> /16 - <sup>5</sup> /8	7 <sup>9</sup> /32	6	404028
BDOE2224	<sup>11</sup> /16 - <sup>3</sup> /4	8 <sup>15</sup> /16	6	404029

- Manufactured from high grade steel alloy
- Features a Lifetime Warranty and exceeds ANSI Standards







## Wrenches Offset Box / Ratcheting Wrenches

#### 75° Offset Box



Stock No.		L (mm)		Order No.	Stock No.		L (mm)		Order No.
BBWDM67	6-7	168	6	405001	BBWDM1921	19 - 21	318	6	405014
BBWDM89	8-9	183	6	405002	BBWDM1922	19 - 22	318	6	405015
BBWDM810	8 - 10	183	6	405003	BBWDM2022	20 - 22	318	6	405016
BBWDM1011	10 - 11	198	6	405004	BBWDM2123	21 - 23	330	6	405017
BBWDM1012	10 - 12	198	6	405005	BBWDM2224	22 - 24	330	6	405018
BBWDM1113	11 - 13	218	6	405006	BBWDM2326	23 - 26	346	6	405019
BBWDM1213	12 - 13	218	6	405007	BBWDM2426	24 - 26	346	6	405020
BBWDM1214	12 - 14	218	6	405008	BBWDM2427	24 - 27	346	6	405021
BBWDM1415	14 - 15	235	6	405009	BBWDM2528	25 - 28	355	6	405022
BBWDM1417	14 - 17	260	6	405010	BBWDM2430	24 - 30	355	6	405023
BBWDM1617	16 - 17	260	6	405011	BBWDM2730	27 - 30	355	6	405055
BBWDM1719	17 - 19	292	6	405012	BBWDM3032	30 - 32	372	6	405024
BBWDM1819	18 - 19	292	6	405013	BBWDM3436A	34 - 36	440	6	405056

#### **Ratchet Combination**



Stock No.	<b>₽</b> Ţ	A (mm)	B (mm)	L (mm)	•	Order No.
BOERM6	6	6.6	3.6	114	6	406001
BOERM7	7	6.6	3.9	125	6	406002
BOERM8	8	6.5	4.0	135	6	406003
BOERM9	9	7.4	4.0	150	6	406004
BOERM10	10	8.0	5.0	160	6	406005
BOERM11	11	8.5	5.5	170	6	406006
BOERM12	12	9.0	5.5	175	6	406007
BOERM13	13	10.0	6.3	180	6	406008
BOERM14	14	10.0	6.5	190	6	406009
BOERM15	15	11.0	7.0	200	6	406010
BOERM16	16	11.0	7.0	210	6	406011
BOERM17	17	12.0	7.0	230	6	406012
BOERM18	18	12.0	8.0	2 40	6	406013
BOERM19	19	12.9	8.7	250	6	406014
BOERM21	21	13.7	9.4	266	6	406015
BOERM22	22	14.5	9.4	286	6	406016
BOERM24	24	15.5	11.2	305	6	406017
BOERM25	25	15.5	11.2	327	6	406018

- Dual pawl ratcheting box end yields smooth operation and maximum strength
- 15° offset box head provides extra knuckle clearance
- 4.5° (5° on smaller wrenches) gear engagement means less movement to engage the next gear
- Inch scale laser etched on head face
- Ratcheting box is reversible
- Box end features the FLANK DRIVE® wrenching configuration for greater torque with less applied force
- Tough, durable nickel-chrome finish
- Meets or exceeds strength specifications in ASME B107.6

#### 45° Offset Box



Stock No.		L (mm)		Order No.	Stock No.		L (mm)		Order No.
BBWSM67	6-7	165	6	405025	BBWSM1819	18 - 19	250	6	405040
BBWSM89	8-9	175	6	405026	BBWSM1921	19 - 21	270	6	405041
BBWSM810	8 - 10	185	6	405027	BBWSM1922	19 - 22	270	6	405042
BBWSM911	9 - 11	195	6	405028	BBWSM2022	20 - 22	270	6	405043
BBWSM1011	10 - 11	195	6	405029	BBWSM2122	21 - 22	290	6	405044
BBWSM1012	10 - 12	195	6	405030	BBWSM2123	21 - 23	290	6	405045
BBWSM1113	11 - 13	205	6	405031	BBWSM2224	22 - 24	320	6	405046
BBWSM1213	12 - 13	205	6	405032	BBWSM2326	23 - 26	360	6	405047
BBWSM1214	12 - 14	220	6	405033	BBWSM2426	24 - 26	360	6	405048
BBWSM1314	13 - 14	220	6	405034	BBWSM2427	24 - 27	360	6	405049
BBWSM1415	14 - 15	235	6	405035	BBWSM2528	25 - 28	370	6	405050
BBWSM1417	14 - 17	235	6	405036	BBWSM2730	27 - 30	380	6	405053
BBWSM1516	15 - 16	240	6	405037	BBWSM2732	27 - 32	380	6	405051
BBWSM1617	16 - 17	240	6	405038	BBWSM3032	30 - 32	380	6	405052
BBWSM1719	17 - 19	250	6	405039	BBWSM3436	34 - 36	405	6	405054

#### **Ratchet Combination**



Stock No.	<b>□</b> Ţ	A (inches)	B (inches)	L (inches)		Order No.
BOER8	1/4	1/4	5/32	4 <sup>1</sup> /2	6	406019
BOER10	<sup>5</sup> /16	1/4	<sup>5</sup> /32	5 <sup>5</sup> /16	6	406020
BOER12	3/8	<sup>5</sup> /16	<sup>3</sup> /16	6 <sup>5</sup> /16	6	406021
BOER14	<sup>7</sup> /16	11/32	7 <sub>/32</sub>	6 <sup>11</sup> /16	6	406022
BOER16	1/2	13/32	1/4	7 <sup>1</sup> /16	6	406023
BOER18	<sup>9</sup> /16	<sup>13</sup> /32	1/4	7 <sup>1</sup> /2	6	406024
BOER20	<sup>5</sup> /8	<sup>7</sup> /16	<sup>9</sup> /32	8 <sup>1</sup> /4	6	406025
BOER22	<sup>11</sup> /16	15/32	9/32	9 <sup>1</sup> /16	6	406026
BOER24	3/4	1/2	11/32	9 <sup>13</sup> /16	6	406027
BOER26	<sup>13</sup> /16	17/32	3/8	10 <sup>1</sup> /2	6	406028
BOER28	7/8	<sup>9</sup> /16	3/8	11 <sup>1</sup> /4	6	406029
BOER30	<sup>15</sup> /16	5/8	<sup>7</sup> /16	12	6	406030
BOER32	1	<sup>5</sup> /8	<sup>7</sup> /16	12 <sup>7</sup> /8	6	406031

- Dual pawl ratcheting box end yields smooth operation and maximum strength
- 15° offset box head provides extra knuckle clearance
- 4.5° (5° on smaller wrenches) gear engagement means less movement to engage the next gear
- Inch scale laser etched on head face
- Ratcheting box is reversible
- Box end features the FLANK DRIVE<sup>®</sup> wrenching configuration for greater torque with less applied force
- Tough, durable nickel-chrome finish
- Meets or exceeds strength specifications in ASME B107.6





## Wrenches Ratcheting Wrenches

#### **Short Ratchet Combination**




Stock No.		A (mm)	B (mm)	L (mm)	Ü	Order No.
BOERMS8	8	6.5	4.0	90	6	406052
BOERMS9	9	7.4	4.0	95	6	406053
BOERMS10	10	8.0	5.0	100	6	406054
BOERMS11	11	8.5	5.5	105	6	406055
BOERMS12	12	9.0	5.5	110	6	406056
BOERMS13	13	10.0	6.3	115	6	406057
BOERMS14	14	10.0	6.5	120	6	406058
BOERMS15	15	11.0	7.0	125	6	406059
BOERMS16	16	11.0	7.0	128	6	406060
BOERMS17	17	12.0	7.0	132	6	406061
BOERMS18	18	12.0	8.0	138	6	406062
BOERMS19	19	12.9	8.7	142	6	406063

- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Tough, durable nickel chrome finish
- Up to 80 gear teeth for ratcheting in tight areas

#### **Short Ratchet Combination**





Stock No.	<u> </u>	A (inches)	B (inches)	L (inches)		Order No.
BOERS10	<sup>5</sup> /16	1/4	5/32	3 <sup>9</sup> /16	6	406064
BOERS12	3/8	5/16	<sup>3</sup> /16	3 <sup>15</sup> /16	6	406065
BOERS14	<sup>7</sup> /16	11/32	7/32	4 <sup>1</sup> /8	6	406066
BOERS16	1/2	13/32	1/4	4 <sup>1</sup> /2	6	406067
BOERS18	9/16	<sup>13</sup> /32	1/4	4 <sup>3</sup> /4	6	406068
BOERS20	5/8	7/16	9/32	5 <sup>1</sup> /16	6	406069
BOERS22	<sup>11</sup> /16	<sup>15</sup> /32	9/32	5 <sup>3</sup> /16	6	406070
BOERS24	3/4	1/2	11/32	5 <sup>6</sup> /16	6	406071

- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Tough, durable nickel chrome finish
- Up to 80 gear teeth for ratcheting in tight areas

#### Flex Head Ratchet Combination





Stock No.		A (mm)	B (mm)	L (mm)	•	Order No.
BOERMF8A	8	6.5	4.0	142	6	406032
BOERMF9A	9	7.4	4.0	152	6	406033
BOERMF10A	10	8.0	5.0	162	6	406034
BOERMF11A	11	8.5	5.5	172	6	406035
BOERMF12A	12	9.0	5.5	180	6	406036
BOERMF13A	13	10.0	6.3	188	6	406037
BOERMF14A	14	10.0	6.5	196	6	406038
BOERMF15A	15	11.0	7.0	204	6	406039
BOERMF16A	16	11.0	7.0	214	6	406040
BOERMF17A	17	12.0	7.0	228	6	406041
BOERMF18A	18	12.0	8.0	242	6	406042
BOERMF19A	19	12.9	8.7	256	6	406043

- Flex head pivots 90 degrees in either direction
- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Tough, durable nickel chrome finish
- Up to 80 gear teeth for ratcheting in tight areas

#### Flex Head Ratchet Combination






Stock No.	<u> </u>	A (inches)	B (inches)	L (inches)	•	Order No.
BOERF10A	<sup>5</sup> /16	1/4	5/32	5 <sup>19</sup> /32	6	406044
BOERF12A	3/8	5/16	<sup>3</sup> /16	6 <sup>3</sup> /8	6	406045
BOERF14A	<sup>7</sup> /16	11/32	7/32	6 <sup>3</sup> /4	6	406046
BOERF16A	1/2	13/32	1/4	7 <sup>13</sup> /32	6	406047
BOERF18A	<sup>9</sup> /16	13/32	1/4	7 <sup>23</sup> /32	6	406048
BOERF20A	5/8	<sup>7</sup> /16	9/32	8 <sup>7</sup> /16	6	406049
BOERF22A	<sup>11</sup> /16	15/32	9/32	8 <sup>31</sup> /32	6	406050
BOERF24A	3/4	1/2	11/32	10 <sup>1</sup> /16	6	406051

- Flex head pivots 90 degrees in either direction
- Dual pawl reversible ratcheting box end
- Low profile easy action reverse lever won't get in your way
- Tough, durable nickel chrome finish
- Up to 80 gear teeth for ratcheting in tight areas



## Wrenches Ratcheting Wrenches

#### **Short Flex Head Ratchet Combination**



Stock No.	<b>₽</b> I	(mm)	(mm)	(mm)		No.
BOERMSF8	8	6.5	4.0	94	6	406072
BOERMSF9	9	7.4	4.0	98	6	406073
BOERMSF10	10	8.0	5.0	103	6	406074
BOERMSF11	11	8.5	5.5	108	6	406075
BOERMSF12	12	9.0	5.5	111	6	406076
BOERMSF13	13	10.0	6.3	115	6	406077
BOERMSF14	14	10.0	6.5	120	6	406078
BOERMSF15	15	11.0	7.0	124	6	406079
BOERMSF16	16	11.0	7.0	128	6	406080
BOERMSF17	17	12.0	7.0	133	6	406081
BOERMSF18	18	12.0	8.0	140	6	406082
BOERMSF19	19	12.9	8.7	147	6	406083

- Flex head pivots 90 degrees in either direction
- Dual pawl reversible ratcheting box end
- Up to 80 gear teeth for ratcheting in tight areas


#### **Short Flex Head Ratchet Combination**



Stock No.	<b>□</b> Ţ	A (inches)	B (inches)	L (inches)	•	Order No.
BOERSF10	<sup>5</sup> /16	1/4	5/32	3 <sup>11</sup> /16	6	406084
BOERSF12	3/8	<sup>5</sup> /16	<sup>3</sup> /16	4 <sup>1</sup> /16	6	406085
BOERSF14	<sup>7</sup> /16	11/32	7/32	4 <sup>1</sup> /4	6	406086
BOERSF16	1/2	13/32	1/4	4 17/32	6	406087
BOERSF18	<sup>9</sup> /16	13/32	1/4	4 23/32	6	406088
BOERSF20	5/8	<sup>7</sup> /16	9/32	5 <sup>1</sup> /32	6	406089
BOERSF22	11/16	15/32	9/32	5 <sup>1</sup> /4	6	406090
BOERSF24	3/4	1/2	11/32	5 <sup>25</sup> /32	6	406091

- Flex head pivots 90 degrees in either direction
- Dual pawl reversible ratcheting box end
- Up to 80 gear teeth for ratcheting in tight areas

#### Locking Flex Head Ratchet



Stock No.		A (mm)	B (mm)	L (mm)		Order No.
BOERMFLCG8	8	6.55	32	228	6	406092
BOERMFLCG9	9	7.45	34	229	6	406093
BOERMFLCG10	10	8.05	38	233	6	406094
BOERMFLCG11	11	8.55	40	235	6	406095
BOERMFLCG12	12	9.05	42	285	6	406096
BOERMFLCG13	13	10.05	45	287	6	406097
BOERMFLCG14	14	10.05	48	289	6	406098
BOERMFLCG15	15	11.05	52	293	6	406099
BOERMFLCG16	16	11.05	54	347	6	406100
BOERMFLCG17	17	12.05	56	348	6	406101
BOERMFLCG18	18	12.05	60	352	6	406102
BOERMFLCG19	19	12.95	64	354	6	406103

#### Locking Flex Head Ratchet



Stock No.	<b>□</b> Ţ	A (inches)	B (inches)	L (inches)		Order No.
BOERFLCG10	<sup>5</sup> /16	1/4	1 <sup>1</sup> /4	9	6	406104
BOERFLCG12	3/8	<sup>5</sup> /16	1 <sup>1</sup> /2	8 <sup>1</sup> /4	6	406105
BOERFLCG14	<sup>7</sup> /16	<sup>11</sup> /32	1 <sup>9</sup> /16	9 <sup>19</sup> /32	6	406106
BOERFLCG16	1/2	13/32	1 <sup>25</sup> /32	11 <sup>9</sup> /32	6	406107
BOERFLCG18	<sup>9</sup> /16	13/32	1 <sup>29</sup> /32	11 <sup>3</sup> /8	6	406108
BOERFLCG20	5/8	<sup>7</sup> /16	2 <sup>1</sup> /8	13 <sup>21</sup> /32	6	406109
BOERFLCG22	<sup>11</sup> /16	15/32	2 <sup>7</sup> /32	13 <sup>23</sup> /32	6	406110
BOERFLCG24	3/4	1/2	2 <sup>17</sup> /32	13 <sup>15</sup> /16	6	406111

- Corrosive resistant bi-mold cushion grips for improved comfort and performance
- Wrenches have multiple locking head positions for easier access to tough to reach fasteners
- Long reach solid shank steel handle for improved reach and layerage.
- Dual pawl reversible ratchet head
- Flex head pivots 90 degrees in either direction





## Wrenches Ratcheting Wrenches / L and T shape Wrenches / Other Wrenches

#### Ratcheting Box



Stock No.	<b>₽</b> Ţ	A (mm)	L (mm)		Order No.
RBZM78	7-8	15.1 - 17.1	114	1	406112
RBZM910	9 - 10	20.4 - 22.6	140	1	406113
RBZM1112	11 - 12	25.8 - 29.4	175	1	406114
RBZM1314	13 - 14	25.8 - 29.4	175	1	406115
RBZM1517	15 - 17	32.9 - 36.5	206	1	406116
RBZM1618	16 - 18	32.9 - 36.5	206	1	406117
RBZM1921	19 - 21	35.7 - 40.1	235	1	406118

#### **Ratcheting Box**



Stock No.	■ I	A (inches)	L (inches)	•	Order No.
RBZ810	<sup>1</sup> /4 - <sup>5</sup> /16	3/8	4 <sup>1</sup> /2	1	406119
RBZ1214	<sup>3</sup> /8 - <sup>7</sup> /16	3/8	5 <sup>7</sup> /2	1	406120
RBZ1618	<sup>1</sup> /2 - <sup>9</sup> /16	1/2	6 <sup>1</sup> /8	1	406121
RBZ2022	<sup>5</sup> /8 - <sup>11</sup> /16	1/2	9 <sup>1</sup> /4	1	406122
RBZ2428	3/4 - 7/8	1/2	9 <sup>1</sup> /4	1	406123

#### L-Shape Hex Keys



Stock No.		A (mm)	L (mm)		Order No.
BLWM11	11	42	190	6	407031
BLWM12	12	44	209	6	407002
BLWM13	13	50	220	6	407032
BLWM14	14	54.5	233	6	407003
BLWM15	15	56.5	237	6	407033
BLWM16	16	58.5	240	6	407034
BLWM17	17	61.5	246	6	407004
BLWM18	18	64.5	261	6	407035
BLWM19	19	68.5	276	6	407005

- Made from high torque steel
- Heavy duty usage
- Satin finish


#### T-Shape Hex Keys



Stock No.	<b>₽</b> I	A (mm)	L (mm)	<b>V</b>	Order No.
BTWM1.5	1.5	83	122	6	407007
BTWM2.5	2.5	83	122	6	407008
BTWM3	3	83	122	6	407009
BTWM4	4	83	122	6	407010
BTWM5	5	83	122	6	407011
BTWM6	6	134	186	6	407012
BTWM7	7	134	186	6	407013
BTWM8	8	134	186	6	407014

- Ergonomical handle for a better grip
- Made from high torque steel

#### T-Shape Speeder Wrench



Stock No.	A (mm)	B (mm)	L (mm)	•	Order No.
ВРТНМ08	8	200	250	1	407015
ВРТНМ09	9	200	250	1	407016
BPTHM10	10	200	250	1	407017
BPTHM11	11	200	250	1	407018
BPTHM12	12	250	250	1	407019
ВРТНМ13	13	250	300	1	407020
BPTHM14	14	250	300	1	407021

- Speedy socket wrench, convenience for use
- Magnetic inset for convenience

#### Chain Wrench



Stock No.	Chain Length (inches)	Capacity (inches)	Handle Length (inches)	•	Order No.
CW12A	16	4	12	6	408001
CW15A	19	5	15	6	408002
CW24A	23	6	24	6	408003

#### Strap Wrench



Stock No		Diameter	Ü	Order No.
BLPSTV	VR4	4" max	1	408005
BLPSTV	VR6	6" max	1	408006

- Adjusts to fit any circumference or irregular shape
- Grip, loosen or tighten almost anything
- Won't scratch or damage surfaces
- Cushioned grip for maximum comfort
- Heavy duty construction for longer life
- BLPSTWRKT(Order No.408004)Set includes BLPSTWR4 & **BLPSTWR6**



## **SCREWDRIVERS & BITS**

Blue-Point's screwdrivers give you better grip and higher turning force with tool tip durability to match.

Handles using dual compound are ergonomically shaped to fit your palm for comfort and better grip.

The high strength Molybdenum-Vanadium steel shanks are nickel and chrome plated for toughness and corrosion resistance.

Vapor-blasted tips offer greater screw-tip adherence to prevent the rounding of screws and screwdrivers alike.

Finer details like laser-etching of the size and part numbers are not missed. This ensure permanence with continual usage over time.

We even offer three colours in the same range to facilitate tool identification and differentiation for different work-teams.

Blue-Point

Screwdrivers

Blue. Perint

50


Bits

**5**3



## Screwdriver & Bits Screwdrivers

#### P Series, Slotted



#### P Series, Phillips®



Stock No. (Blue)	Ü	Order No.	Stock No. (Yellow)	Ü	Order No.	Stock No. (Red)	Ü	Order No.	Tip Size	A (mm)	L (mm)
BSGD75PH0B	10	501001	BSGD75PH0Y	10	501030	BSGD75PH0R	10	501059	PH0	75	148
BSGD100PH0B	10	501002	BSGD100PH0Y	10	501031	BSGD100PH0R	10	501060	PH0	100	187
BSGD150PH0B	10	501003	BSGD150PH0Y	10	501032	BSGD150PH0R	10	501061	PH0	150	237
BSGD100PH1B	10	501004	BSGD100PH1Y	10	501033	BSGD100PH1R	10	501062	PH1	100	208
BSGD150PH1B	10	501005	BSGD150PH1Y	10	501034	BSGD150PH1R	10	501063	PH1	150	258
BSGD200PH1B	10	501006	BSGD200PH1Y	10	501035	BSGD200PH1R	10	501064	PH1	200	308
BSGD250PH1B	10	501007	BSGD250PH1Y	10	501036	BSGD250PH1R	10	501065	PH1	250	358
BSGD300PH1B	10	501008	BSGD300PH1Y	10	501037	BSGD300PH1R	10	501066	PH1	300	408
BSGD100PH2B	10	501009	BSGD100PH2Y	10	501038	BSGD100PH2R	10	501067	PH2	100	208
BSGD150PH2B	10	501010	BSGD150PH2Y	10	501039	BSGD150PH2R	10	501068	PH2	150	258
BSGD200PH2B	10	501011	BSGD200PH2Y	10	501040	BSGD200PH2R	10	501069	PH2	200	308
BSGD250PH2B	10	501012	BSGD250PH2Y	10	501041	BSGD250PH2R	10	501070	PH2	250	358
BSGD300PH2B	10	501013	BSGD300PH2Y	10	501042	BSGD300PH2R	10	501071	PH2	300	408
BSGD150PH3B	10	501014	BSGD150PH3Y	10	501043	BSGD150PH3R	10	501072	PH3	150	270
BSGD200PH3B	10	501015	BSGD200PH3Y	10	501044	BSGD200PH3R	10	501073	PH3	200	320


- 2-Component handle gives the screwdriver an ideal ergonomic shape
- Perfectly adapted to the forces exerted by the hand and permits work efficiently
- The chrome molybdenum vanadium blade is hardened to HRC 59±1
- Nickel and chrome plated blade and the tip is especially vapor-blasted for greater screw-tip adherence and a full anti-rust guarantee
- With hanging hole moulded to the blade
- The size and part number are laser-etched on the blade to ensure their permanence



## Screwdriver & Bits Screwdrivers

#### P Series, Slotted






Stock No. (Blue)	Ü	Order No.	Stock No. (Yellow)	<b>I</b>	Order No.	Stock No. (Red)	•	Order No.	Tip Size	A (mm)	L (mm)
BSGD75S3B	10	501016	BSGD75S3Y	10	501045	BSGD75S3R	10	501074	3mm	75	147
BSGD75F4B	10	501017	BSGD75F4Y	10	501046	BSGD75F4R	10	501075	4mm	100	168
BSGD100S4B	10	501018	BSGD100S4Y	10	501047	BSGD100S4R	10	501076	4mm	125	188
BSGD125S4B	10	501019	BSGD125S4Y	10	501048	BSGD125S4R	10	501077	4mm	150	233
BSGD150S4B	10	501020	BSGD150S4Y	10	501049	BSGD150S4R	10	501078	4mm	250	308
BSGD250S4B	10	501021	BSGD250S4Y	10	501050	BSGD250S4R	10	501079	5.5mm	125	358
BSGD125S5B	10	501022	BSGD125S5Y	10	501051	BSGD125S5R	10	501080	5.5mm	150	208
BSGD150S5B	10	501023	BSGD150S5Y	10	501052	BSGD150S5R	10	501081	6.5mm	250	258
BSGD125F5B	10	501024	BSGD125F5Y	10	501053	BSGD125F5R	10	501082	4mm	75	233
BSGD125F6B	10	501025	BSGD125F6Y	10	501054	BSGD125F6R	10	501083	5.5mm	125	208
BSGD150F6B	10	501026	BSGD150F6Y	10	501055	BSGD150F6R	10	501084	6.5mm	125	258
BSGD250F6B	10	501027	BSGD250F6Y	10	501056	BSGD250F6R	10	501085	6.5mm	150	358
BSGD150F8B	10	501028	BSGD150F8Y	10	501057	BSGD150F8R	10	501086	8mm	150	270
BSGD175F8B	10	501029	BSGD175F8Y	10	501058	BSGD175F8R	10	501087	8mm	175	320

- 2-Component handle gives the screwdriver an ideal ergonomic shape
- Perfectly adapted to the forces exerted by the hand and permits work efficiently
- The chrome molybdenum vanadium blade is hardened to HRC 59±1
- Nickel and chrome plated blade and the tip is especially vapor-blasted for greater screw-tip adherence and a full anti-rust guarantee
- With hanging hole moulded to the blade
- The size and part number are laser-etched on the blade to ensure their permanence

#### Ratcheting Screwdriver



#### 1/4" Ratchet Screwdriver, Pistol Handle

Packing: 1

BSGDMR6 Order NO.: 502001



- 5" magnetic bit holder blade for 1/4" hex bits
- 45 tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes six 1/4" hex bits: Flat Tip (4.5 and 5.5), Phillips® (#1 and #2) plus Torx® (T15 and T20)
- Ergonomically designed two component handle is textured for excellent grip and user comfort
- Provides three functional options, left and right turning and locked position
- Blade features a knurled-grip for fast spinning of the fastener
- Screwdriver carries a lifetime warranty (Bits are consumable and carry no warranty)








## Screwdriver & Bits screwdrivers

#### P Series VDE, Phillips®



Stock No.	Tip Size	A (mm)	L (mm)	i i	Order No.
BSGDV100PH0	PH0	100	148	10	501088
BSGDV150PH1	PH1	150	188	10	501089
BSGDV175PH2	PH2	175	208	10	501090
BSGDV200PH3	PH3	200	270	10	501091

#### P Series VDE, Slotted



Stock No.	Tip Size	A (mm)	L (mm)	<b>III</b>	Order No.
BSGDV100S2	2.5mm	100	163	10	501092
BSGDV100S3	3mm	100	188	10	501093
BSGDV100S4	4mm	100	208	10	501094
BSGDV125S5	5.5mm	125	233	10	501095
BSGDV150S6	6.5mm	150	258	10	501096

- Insulated screwdriver for Phillips PH-head screws, for work on live equipment up to 1000V
- Examination of screwdrivers according to latest national and international standards
- Examination piece-wise in water bath with 10 KV
- Ergonomically developed 2-component handle
- Blade black oxidized, entirely hardened




#### M Series, Slotted

#### M Series, Pozidriv®









- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control



## Screwdriver & Bits Screwdrivers / Bits

#### M Series, Phillips®

#### M Series, Torx®





Stock No.	Tip Size	A (mm)	L (mm)		Order No.	Stock No.	Tip Size	A (mm)	L (mm)		Order No.
BSGDM65PH00	00	65	136	6	501113	BSGDM100PH2	2	100	218	6	501121
BSGDM75PH0	0	75	148	6	501114	BSGDM150PH2	2	150	268	6	501122
BSGDM100PH0	0	100	173	6	501115	BSGDM200PH2	2	200	318	6	501123
BSGDM150PH0	0	150	223	6	501116	BSGDM250PH2	2	250	368	6	501124
BSGDM75PH1	1	75	181	6	501117	BSGDM150PH3	3	150	278	6	501125
BSGDM100PH1	1	100	206	6	501118	BSGDM200PH3	3	200	328	6	501126
BSGDM150PH1	1	150	256	6	501119	BSGDM200PH4	4	200	328	6	501127
BSGDM38PH2	2	38	100	6	501120						



- Tri-lobe handle shape for reducing user strain while operating and offering optimum torque
- Soft cushion grip for the best performance without fatigue
- Concave hollow of the handle neck for firm pinch pressure and precision control

#### **Bits**











○ Hex Bit Tamper Resistant Torx Bit — Flat Tip Bit Phillips Tip Bit Square Tip Bit

Stock No.	Description	Size	<b>V</b>	Order No.
BLPFB532	Flat Tip Bit	5/32"	6	502002
BLPFB732	Flat Tip Bit	7/32"	6	502003
BLPFB932	Flat Tip Bit	9/32"	6	502004
BLPFB316	Flat Tip Bit	3/ <sub>16</sub> "	6	502005
BLPFB14	Flat Tip Bit	1/4"	6	502006
BLPPB0	♣ Phillips Tip Bit	#0	6	502007
BLPPB1	+ Phillips Tip Bit	#1	6	502008
BLPPB2	+ Phillips Tip Bit	#2	6	502009
BLPPB3	+ Phillips Tip Bit	#3	6	502010
BLPHBM3		3mm	6	502011
BLPHBM4		4mm	6	502012
BLPHBM5		5mm	6	502013
BLPHBM6		6mm	6	502014
BLPHB18		1/8"	6	502015
BLPHB964		9/64"	6	502016
BLPHB532		5/32"	6	502017
BLPHB316		3/16"	6	502018
BLPHB732		7/32"	6	502019
BLPHB14		1/4"	6	502020
BLPTB10TP	Tamper Resistant Torx Bit	T10	6	502021
BLPTB15TP	♠ Tamper Resistant Torx Bit	T15	6	502022
BLPTB20TP	★ Tamper Resistant Torx Bit	T20	6	502023
BLPTB25TP	♠ Tamper Resistant Torx Bit	T25	6	502024
BLPTB30TP	♠ Tamper Resistant Torx Bit	T30	6	502025
BLPSQB1	Square Tip Bit	#1	6	502026
BLPSQB2	Square Tip Bit	#2	6	502027







## Pliers

At Blue-Point, we created a broad range of high performance pliers for most applications today while keeping at a very affordable price.

Like our screwdrivers, we also adopt a dual compound design for the handle to improve gripping comfort and reduce hand fatigue.

The joints are precision machined and located for high leverage thus requiring less effort for every crimping and cutting task.

We even use laser hardening on the cutting edges of our pliers!

Blue-Point pliers are where good quality comes at a good price. And our broad range completes your search for the right tool to the job.

Bluefaire



TN

Pliers Sets Standard Pliers VDE Pliers Locking Pliers Retaining Ring Pliers Special Pliers

56

58

67

68

69

69



## Pliers Pliers Sets

#### Pliers Set, Dipped Grips, 8pcs

Packing: 8

BDGPL800 Order NO.: 601007

#### Mini Pliers Set, 10pcs

Packing: 10

BMPL1000 Order NO.: 601009



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	*	Order No.
BDGAWP100Z	Adjustable Joint Pliers	1 <sup>3</sup> / <sub>4</sub>	10	6	602001
BDG48CPZ	Slip Joint Pliers	1 27/32	8	6	602037
BDG98CPZ	Needle Nose Pliers	3	8	6	602004
BDG9845CPZ	45° Bent Needle Nose Pliers	2 13/16	7 3/4	6	602010
BDG57CPZ	Lineman's Pliers	1 <sup>1</sup> / <sub>4</sub>	7 1/2	6	602006
BDGEC7Z	End Cutter	7/16	7	6	602009
BDG86CPZ	Diagonal Cutter	21/32	6 1/2	6	602005
BDG88CPZ	Diagonal Cutter	<sup>15</sup> / <sub>16</sub>	8 <sup>1</sup> / <sub>8</sub>	6	602008

 Includes BDGAWP100Z adjustable joint pliers, BDG48CPZ slip joint pliers, BDG98CPZ and BDG9845CPZ needle nose pliers, BDG57CPZ Lineman's pliers, BDG86CPZ and BDG88CPZ diagonal cutters plus BDGEC7Z end cutters (8 pcs) in storage tray



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
B45CMPAP	Combination Pliers	1	4 11/16	6	602011
B65CMPAP	Duck Bill Pliers	1 5/32	4 7/8	6	602014
B75CMPAP	Round Nose Pliers	1 <sup>5</sup> /32	5	6	602017
B85CMPAP	Diagonal Cutter	21/32	4 11/32	6	602015
B85CTMPAP	Thin Diagonal Cutter	23/32	4 <sup>5</sup> /8	6	602020
B945CMPAP	45° Bent Nose Pliers	1	4 11/16	6	602013
B95CMPAP	Long Nose Pliers	1 1/8	4 7/8	6	602012
B95CLMPAP	Needle Nose Pliers	2 1/16	5 <sup>25</sup> / <sub>32</sub>	6	602019
B960CMPAP	60° Bent Nose Pliers	15/16	4 11/16	6	602018
BMPEC5AP	End Cutter	<sup>5</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>32</sub>	6	602016

 B45CMPAP, B65CMPAP, B75CMPAP, B85CMPAP, B85CTMPAP, B945CMPAP, B95CLMPAP, B95CMPAP, B960CMPAP and BMPEC5AP (10 pcs.) in storage tray



#### Pliers Set, Standard, 5pcs

Packing: 5

BPL501 Order NO.: 601008



BDGMPL845 Order NO.: 601015



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
B48CPAP	Slip Joint Pliers	2 3/32	8 13/32	6	602036
B58HLPAP	Lineman's Pliers	1 1/2	8 31/32	6	602007
B96CPAP	Long Nose Pliers	2 1/32	6 <sup>5</sup> / <sub>16</sub>	6	602003
BAWP100AP	Adjustable Joint Pliers	1 <sup>3</sup> / <sub>8</sub>	10 5/32	6	602038
B87CPAP	Diagonal Cutters	31/32	6 19/32	6	602002

 B48CPAP, B58HLPAP, B87CPAP, B96CPAP and BAWP100AP (5 pcs.) in storage tray

#### Mini Pliers Set, 8pcs

Packing: 8



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
BDG45CMP	Mini Combination Pliers	1"	4.5"	6	602074
BDG85CMP	Mini Diagonal Nose Pliers	21/32"	4.5"	6	602075
BDG85CTMP	Mini Thin Diagonal Nose Pliers	23/32"	4.5"	6	602076
BDG945CMP	Mini 45 Deg Bent Nose Pliers	1"	4.5"	6	602077
BDG65CMP	Mini Flat Nose Pliers	1 5/32"	4.5"	6	602078
BDG95CMP	Mini Long Nose Pliers	4 <sup>7</sup> /8"	4.5"	6	602079
BDG95CLMP	Mini Needle Nose Pliers	2 1/16"	6"	6	602080
BDGMPEC5	Mini End Cutters	4 1/32"	4.5"	6	602081

- Comes in a compact pouch that is easy to store and carry around
- Pouch design allows for flexibility in storage of different pliers
- Commonly used pliers are included
- Dipped grips deliver optimal comfort during high strength gripping
- Drop forged chrome vanadium steel and fine polished



## Pliers Pliers Sets

#### Plier Sets, Standard, 7pcs

Packing: 7

BDGCPL700 Order NO.: 601016



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
BDG98CPZ	Needle Nose Pliers	3"	8"	6	602072
BDG88CPZ	Diagonal Cutters	<sup>15</sup> / <sub>16</sub> "	8"	6	602073
BDG45CMP	Mini Combination Pliers	1"	4.5"	6	602074
BDG95CLMP	Mini Long Needle Nose Pliers	2 1/16"	6"	6	602080
BDG85CTMP	Mini Thin Diagonal Nose Pliers	23/32"	4.5"	6	602076
BDG945CMP	Mini 45 Deg Bent Nose Pliers	1"	4.5"	6	602077
BDG48CPZ	Slip Joint Pliers	1 <sup>27</sup> / <sub>32</sub> "	8"	6	602071

- Comes in a compact pouch that is easy to store and carry around
- Pouch design allows for flexibility in storage of different pliers
- Commonly used pliers are included
- Dipped grips deliver optimal comfort during high strength gripping
- Drop forged chrome vanadium steel and fine polished

#### Long Reach Miniature Pliers Set, 4pcs

Packing: 4

BDGPL400LMP Order NO.: 601010



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
BDG96LMPZ	Long Nose Pliers	1 <sup>5</sup> / <sub>16</sub>	6	6	602021
BDG97LMPZ	Needle Nose Pliers	2 13/32	7	6	602022
BDG9645LMPZ	45° Bent Nose Pliers	1 7/32	6	6	602023
BDG86LMPZ	Diagonal Cutting Pliers	3/4	5 1/2	6	602024

- Set includes BDG86LMPZ cutters plus BDG96LMPZ, BDG9645LMPZ and BDG97LMPZ pliers (4 pcs)
- Chrome nickel finish prevents against rust and corrosion
- Cushioned grips offer comfort during extended use
- Vinyl grips provide easy cleanup and durability
- Pliers exceed ANSI standards

#### Extended Reach Hose Grip Pliers Set, 3pcs BDGPL300HG

Packing: 3



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
BDGPL410HGZ	Small Hose Grip Pliers	2 1/4	11	6	602030
BDGPL411HGZ	Medium Hose Grip Pliers	2 1/4	11	6	602031
BDGPL412HGZ	Large Hose Grip Pliers	2	11	6	602032

- Grips are double dipped offering increased comfort and control during use
- Pliers extra length provides additional access to otherwise difficult to reach areas
- Corrosion resistant finish
- · Leaf springs improve maneuverability

#### Long Reach Pliers Set, 3pcs

Packing: 3

BDGPL300LR Order NO.: 601013



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
BDG311CPZ	Diagonal Cutter	1 <sup>9</sup> / <sub>16</sub>	11	6	602025
BDG91145CPZ	45° Bent Needle Nose Pliers	3 3/16	11	6	602026
BDG911CPZ	Needle Nose Pliers	3 9/16	11	6	602027

• BDG911CPZ and BDG91145CPZ pliers plus BDG311CPZ cutter (3 pcs) in storage tray

#### Extra Long Reach Pliers Set, 2pcs

BDGPL200XLR Order NO.: 601014

Packing: 2



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
BDG91645CPZ	45° Bent Needle Nose Pliers	3 3/16	16	6	602028
BDG916CPZ	Needle Nose Pliers	3 <sup>9</sup> /16	16	6	602029

• BDG916CPZ and BDG91645CPZ (2 pcs) in storage tray







## Pliers Pliers Sets / Standard Pliers

#### Retaining Ring Pliers Set, 2pcs

Packing: 1

PR36 Order NO.: 601001



Stock No.	Length (inches)	Ring Size Range (inches)	Tip Kit Included	Ü
PR37	6 <sup>1</sup> / <sub>4</sub>	Internal <sup>3</sup> / <sub>8</sub> - 2	PR5 (For PR36 only)	1
PR38	6 <sup>1</sup> / <sub>4</sub>	External <sup>1</sup> / <sub>4</sub> - 2	_	1
	Tip Sizes Included Inches/Degree	Optional Kits	Optional Tip Sizes	Order No.
PR37	2 pair each in PR36 set: .047" 0°, .070" 0°, .047" 45°, .039" 90°	PR5	.047" 0°, .070" 0°, .047" 45°, .039" 90°	605001
PR38	_	PR5	.047" 0°, .070" 0°, .047" 45°, .039" 90°	605002

Includes PR37 and PR38 pliers plus tips

#### Retaining Ring Pliers Set, 2pcs

Packing: 1

PR50A Order NO.: 601004



Stock No.	Length (inches)	Ring Size Range(inches)	Tip Kit Included	•	Order No.
PR51	9 <sup>1</sup> / <sub>2</sub>	2 <sup>7</sup> / <sub>16</sub> - 4	PR502	1	605006
PR52	9 1/2	1 1/2 - 3 11/32	PR507	1	605007
	Tip Sizes Included Inches/Degree	Optional Kits		Optional ïp Sizes	
PR51	.108", 15°	PR501		108", 0°	
PR52	.120", 45°	PR505		120", 0°	

• Includes PR51 and PR52 pliers plus tips in a plastic case

#### Retaining Ring Pliers Set, 3pcs

Packing: 1

PRH503 Order NO.: 601003



Stock No.	Length (inches)	Ring Size Range (inches)		Order No.	Tip Kit Included	Tip Sizes Included/ Degree
PRH56A (Convertible)	6 <sup>3</sup> / <sub>8</sub>	Internal <sup>1</sup> / <sub>4</sub> - 1 External <sup>1</sup> / <sub>8</sub> - 1	6	605003	PRH56A-1	1 pair each: .023" 0°, .036" 0°, .047 0°, .036" 90 °, .047" 90°
PRH57A (Convertible)	8	Internal <sup>3</sup> / <sub>8</sub> - 2 External <sup>1</sup> / <sub>4</sub> - 2	6	605004	PRH57A-1	1 pair each: .036" 0°, .047" 0°, .070 0°, .036" 90 °, .047 90°
PRC65A (Convertible)	10	Internal 1 <sup>13</sup> / <sub>64</sub> - 4 External 1 <sup>1</sup> / <sub>3</sub> - 4	6	605005	PRC65A-1	1 pair each: .090", .108", .120" (15° and 90°)

- Includes PRH56A, PRH57A and PRC65A retaining ring pliers
- PRH502A(Order No.601002) set includes PRH56A and PRH57A retaining ring pliers
- Pliers in storage case

#### **Diagonal Cutter**



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
BDG86CPZ	Diagonal Cutter	21/32	6 1/2	6	602005
BDG88CPZ	Diagonal Cutter	15/16	8 1/8	6	602008
BDGCT6K	Diagonal Cutting Pliers, Dipped Grip	7/ <sub>16</sub>	6	6	602048

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge



#### **Combination Pliers**



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
BDG57CPZ	Combination Pliers	1 <sup>1</sup> / <sub>4</sub>	7 1/2	6	602006
BDGCB8K	Combination Pliers, Dipped Grip	7/8	8	6	602050
BDGCB9HK	Combination Pliers, Dipped Grip, High Leverage	7/8	9	6	602051

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

Packing: 6

Slip Joint Pliers, Dipped Grip

BDG48CPZ

Order NO.: 602037

Packing: 6

#### Adjustable Joint Pliers, Dipped Grip BDGAWP100Z Order NO.: 602001



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BDGAWP100Z	Adjustable Joint Pliers	1 3/4	10

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish

#### **End Cutter**



BDGEC7Z Order NO.: 602009



Stock No.	Description	Jaw Length (inches)	Length (inches)
BDGEC7Z	End Cutter	<sup>7</sup> / <sub>16</sub>	7

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



	40	
Stook No.	Description	low Canacity (inches)

Stock No.	Description		Length (inches)
BDG48CPZ	Slip Joint Pliers	1 <sup>27</sup> / <sub>32</sub>	8

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



Packing: 6

## Pliers Standard Pliers

#### **Needle Nose Pliers**





Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BDG98CPZ	Needle Nose Pliers	3	8

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

#### 45° Bent Needle Nose Pliers

Packing: 6

BDG9845CPZ Order NO.: 602010



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BDG9845CPZ	45° Bent Needle Nose Pliers	2 13/16	7 3/4

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

#### Long Nose Pliers, Dipped Grip

BDGLN6K







Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BDGLN6K	Long Nose Pliers, Dipped Grip	1	6

- Dipped grip handles for easy cleaning
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

#### Circlip Pliers, Straight



Stock No.	Description	SizeRange (mm)	Length (inches)	•	Order No.
BCES7	External Circlip Pliers, Straight	19-60	7	6	605012
BCES9	External Circlip Pliers, Straight	40-100	9	6	605013
BCIS7	Internal Circlip Pliers, Straight	19-60	7	6	605016
BCIS9	Internal Circlip Pliers, Straight	40-100	9	6	605017

#### Circlip Pliers, Bent



Stock No.	Description	Size Range (mm)	Length (inches)		Order No.
BCER7	External Circlip Pliers, 90 degrees	19-60	7	6	605014
BCER9	External Circlip Pliers, 90 degrees	40-100	9	6	605015
BCIR7	Internal Circlip Pliers, 90 degrees	19-60	7	6	605018
BCIR9	Internal Circlip Pliers, 90 degrees	40-100	9	6	605019



- Jaws shaped specially for removing screws
- Optimal 6" Length



#### Cable Cutter



Stock No.	Description	Length (inches)	Ü	Order No.
BCC6HD	Cable Cutter, 6"	6	6	602062
BCC8HD	Cable Cutter, 8"	8	6	602063
BCC10HD	Cable Cutter, 10"	10	6	602064

- Special flip over handle design allows tool to be used for slicing cable sleeve
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life
- For cutting cables only

## Cable Diagonal Cutter **BDGCT6W** Order NO.: 602067 Packing: 6

- Diagonal cutter with holes for stripping cable
- Laser hardened cutting edge



- Flushed cutting edge for perfect cuts
- Thin cutting edge for precise trimming
- Laser hardened cutting edge

#### **High Leverage Combination Pliers**



Stock No.	Description	Length (inches)	Ü	Order No.
BCB6HD	High Leverage Combination Pliers	160	6	602053
BCB7HD	High Leverage Combination Pliers	180	6	602054
BCB9HD	High Leverage Combination Pliers	240	6	602055

- New high leverage design delivers superior crimping and cutting force
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life

#### High Leverage Long Nose Pliers



Stock No.	Description	Length (inches)	<b>V</b>	Order No.
BLN6HD	High Leverage Long Nose Pliers	160	6	602059
BLN7HD	High Leverage Long Nose Pliers	180	6	602060
BLN8HD	High Leverage Long Nose Pliers	200	6	602061

- New high leverage design delivers superior crimping and cutting
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life



#### High Leverage Diagonal Pliers



Stock No.	Description	Length (inches)	<b>V</b>	Order No.
BCT6HD	High Leverage Diagonal Cutting Pliers	160	6	602056
BCT7HD	High Leverage Diagonal Cutting Pliers	180	6	602057
BCT8HD	High Leverage Diagonal Cutting Pliers	200	6	602058

- New high leverage design delivers superior crimping and cutting force
- Laser hardened cutting edge
- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life







#### **Diagonal Cutter**



Stock No.	Description	Jaw Capacity (inches)	Length (inches)		Order No.
B87CPAP	Side Cutter	31/32	6 19/32	6	602002
BDMCT5	Diagonal Cutting Pliers	5/16	5	6	602045
BDMCT6	Diagonal Cutting Pliers	<sup>7</sup> / <sub>16</sub>	6	6	602046
BDMCT7	Diagonal Cutting Pliers	1/2	7	6	602047

- Dual compound soft grip handles provide Dual compound soft grip handles provide good grip and comfort
- polished for corrison resistant finish
- Laser hardened cutting edge

#### **Combination Pliers**



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	•	Order No.
B58HLPAP	Combination Pliers	1 1/2	8 31/32	6	602007
BDMCB6	Combination Pliers	5/8	6	6	602039
BDMCB7	Combination Pliers	5/8	7	6	602040
BDMCB8	Combination Pliers	7/8	8	6	602041

- good grip and comfort
- Drop forged chrome/nickel alloy is fine Drop forged chrome/nickel alloy is fine polished for corrison resistant finish
  - Laser hardened cutting edge

#### Slip Joint Pliers

B48CPAP Packing: 6 Order NO.: 602036




Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B48CPAP	Slip Joint Plier	23/32	8 <sup>13</sup> / <sub>32</sub>

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish



#### **Combination Pliers**





#### Long Nose Pliers



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	<b>i</b>	Order No.
B96CPAP	Long Nose Pliers	2 1/32	6 5/16	6	602003
BDMLN6	Long Nose Pliers	1	6	6	602042
BDMLN8	Long Nose Pliers	1 ¹/ <sub>8</sub>	8	6	602043

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

#### Adjustable Joint Pliers

BDMAJ10

10



Adjustable Joint Pliers • Dual compound soft grip handles provide good grip and comfort

1 11/16

- Drop forged chrome/nickel alloy is fine polished for corrosion
- resistant finish

#### Adjustable Joint Pliers

BAWP100AP Order NO.: 602038



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BAWP100AP	Adjustable Joint Pliers	1 <sup>3</sup> / <sub>8</sub>	10 5/32

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish

#### Mini Round Nose Pliers

B75CMPAP

Order NO.: 602017



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B75CMPAP	Mini Round Nose Pliers	1 <sup>5</sup> / <sub>32</sub>	5

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish

#### Mini Cutter

Packing: 6



Order NO.: 602015



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B85CMPAP	Mini Cutter	21/32	4 11/32

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Laser hardened cutting edge

#### Mini Thin Diagonal Cutter

Packing: 6

**B85CTMPAP** Order NO.: 602020



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B85CTMPAP	Mini Thin Diagonal Cutter	23/32	4 5/8

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish







#### Mini Combination Pliers

Packing: 6



B945CMPAP

Order NO.: 602013



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B45CMPAP	Mini Combination Pliers	1	4 11/16

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish
- Laser hardened cutting edge

#### Mini Curved Long Nose Pliers

Packing: 6



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B945CMPAP	Mini Curved Long Nose Pliers	1	4 11/16

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish

#### Mini Long Nose Pliers

Packing: 6

B95CMPAP Order NO.: 602012



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B95CMPAP	Mini Long Nose Pliers	1 <sup>1</sup> /8	4 <sup>7</sup> /8

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish
- Laser hardened cutting edge

#### Mini 60° Bent Nose Pliers

Packing: 6



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B960CMPAP	Mini 60° Bent Nose Pliers	<sup>15</sup> / <sub>16</sub>	4 11/16

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish

#### Mini Pincer

Packing: 6

BMPEC5AP Order NO.: 602016



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
BMPEC5AP	Mini Pincer	5/16	4 1/32

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish

#### Mini Needle Nose Pliers

Packing: 6

B95CLMPAP Order NO.: 602019



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B95CLMPAP	Mini Needle Nose Pliers	2 1/16	5 <sup>25</sup> / <sub>32</sub>

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish





#### Mini Duck Bill Pliers

Packing: 6

B65CMPAP Order NO.: 602014



Stock No.	Description	Jaw Capacity (inches)	Length (inches)
B65CMPAP	Mini Duck Bill Pliers	1 <sup>5</sup> / <sub>32</sub>	4 7/8

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish

#### Mini Circlip Pliers, Straight



Stock No.	Description	Length (inches)	<b>I</b>	Order No.
BCES5	External	5	6	605020
BCES6	External	6	6	605021

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life

#### Mini Circlip Pliers, Straight



Stock No.	Description	Length (inches)	<b>I</b>	Order No.
BCIS5	Internal	5	6	605022
BCIS6	Internal	6	6	605023

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life

#### Mini Circlip Pliers, 45 Degree



Stock No.	Description	Length (inches)		Order No.
BCEH5	External	5	6	605024
всен6	External	6	6	605025

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrison resistant finish
- Precise machined joint for ease of use and longer life



#### Mini Circlip Pliers, 45 Degree



Stock No.	Description	Length (inches)	<b>I</b>	Order No.
BCIH5	Internal	5	6	605026
BCIH6	Internal	6	6	605027

- Dual compound soft grip handles provide good grip and comfort
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life



#### Mini Circlip Pliers, 90 Degree



Stock No.	Description	Length (inches)	<b>I</b>	Order No.
BCER5	External	5	6	605028
BCER6	External	6	6	605029

- Dual compound soft grip provides comfort and control
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life

#### Mini Circlip Pliers, 90 Degree



Stock No.	Description	Length (inches)	•	Order No.
BCIR5	Internal	5	6	605030
BCIR6	Internal	6	6	605031

- Dual compound soft grip provides comfort and control
- Drop forged chrome/nickel alloy is fine polished for corrosion resistant finish
- Precise machined joint for ease of use and longer life



#### **Diagonal Cutting Pliers**





## Pliers VDE Pliers

#### Long Nose Pliers



Stock No.	Description	Length (mm)	i i	Order No.
WT1001-6	Long Nose Pliers	160	6	603005
WT1001-8	Long Nose Pliers	200	6	603006

- Chrome vanadium steel
- All tools are tested under 10,000 Voltage testing machine
- Special designed soft grips
- Laser hardened cutting edge

#### **Combination Pliers**



Stock No.	Description	Length (mm)	•	Order No.
WT1014-6	Combination Pliers	160	6	603001
WT1014-7	Combination Pliers	180	6	603002
WT1014-8	Combination Pliers	200	6	603003
WT5414-9	Combination Pliers, Heavy Duty	225	6	603004

- Chrome vanadium steel
- All tools are tested under 10,000 Voltage testing machine
- Special designed soft grips
- Laser hardened cutting edge

#### Side Cutter



Stock No.	Description	Length (mm)		Order No.
WT1003-6	Side Cutter	160	6	603007
WT5403-8	Side Cutter	203	6	603008

- Chrome vanadium steel
- All tools are tested under 10,000 Voltage testing machine
- Special designed soft grips
- Laser hardened cutting edge

#### Wire Stripping Pliers



WT1017C-6	Wire Stripping Pliers	160	6	603009
Stock No.	Description	Length (mm)	•	Order No.

- Chrome vanadium steel
- All tools are tested under 10,000 Voltage testing machine
- Special designed soft grips
- Laser hardened cutting edge

#### Slip Joint Pliers



WT8627-10	Slip Joint Pliers	250	6	603010
Stock No.	Slip Joint Pliers	Length (mm)	•	Order No.

- Chrome vanadium steel
- All tools are tested under 10,000 Voltage testing machine
- Special designed soft grips
- Laser hardened cutting edge







## Pliers Locking Pliers

#### Straight Jaws



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	<b>V</b>	Order No.
BDGLP7SAP	Straight Jaws	1 <sup>5</sup> /16	7	6	604013
BDGLP10SAP	Straight Jaws	1 <sup>3</sup> /4	10	6	604014

- Exceed ASME specification
- · Straight jaws with maximum contact area
- Nickel plated to resist corrosion
- Convenient, one hand release lever

#### Straight Jaws, Soft Grip



Stock No.	Description	Jaw Capacity (inches)	Length (inches)	<b>V</b>	Order No.
BDMLP7SAP	Straight Jaws, Soft Grip	1 <sup>5</sup> /16	7	6	604015
BDMLP10SAP	Straight Jaws, Soft Grip	1 <sup>3</sup> /4	10	6	604016

- Exceed ASME specification
- · Straight jaws with maximum contact area
- Nickel plated to resist corrosion
- Convenient, one hand release lever
- Non-slip cushion grip

#### Chain Style Locking Pliers

Packing: 1

Stock No. Chain Capacity Handle Length (inches) (inches)	VGP18110	up to 6 <sup>9</sup> /32	9 <sup>27</sup> /32	
	Stock No.			

 Wraps around and holds irregular shaped objects like oil filters and mufflers quickly and easily

#### C-Clamp Locking Pliers



	Stock No.	Jaw Capacity (inches)	Length (inches)	•	Order No.
	VGP12406	2 <sup>5</sup> / <sub>16</sub>	6	1	807020
Standard Tip	VGP12412	3 <sup>5</sup> / <sub>16</sub>	12	1	604011
Standard rip	VGP12418	10 1/4	18	1	807021
	VGP12424	15 <sup>11/</sup> 16	24	1	807022
	Stock No.	Jaw Capacity ( inches)	Length (inches)		Order No.
Swivel Tip	VGP22406	1 <sup>5/</sup> 16	6	1	807023
	VGP22412	3 15/16	12	1	807024
	VGP22418	9 7/16	18	1	807025
		15 <sup>11/</sup> 16	24		807026

- Quick and easy handling clamps for autobody and metal fabrication applications
- Spring-loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Locking nut allows setting for repetitive jobs

#### **Locking U-Clamp Pliers**

Packing: 1

VGP18110

Order NO.: 604012

VGP12509 Order NO.: 604009



Stock No.	Jaw Capacity (inches)	Length (inches)	
VGP12509	2 <sup>5/</sup> 16	9	

- U-shaped jaws allow access and perfect visibility when welding
- E-coat provides extra resistance against corrosion and welding splatter
- Quality cold-rolled steel ensures years of service
- Drop forged jaws ensure a tough, durable tool
- Smooth rounded edges allow comfortable handling and reduce risk of injury
- Spring-loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Piano wire spring provides smooth jaw opening
- Adjustment bolt features deep knurl to accommodate greasy hands
- Locking nut allows setting for repetitive jobs
- Drilled (not punched) holes in mobile jaw ensure maximum bearing with rivets for smooth action
- Large diameter rivets add strength and durability



## Pliers Locking Pliers / Retaining Ring Pliers / Special Pliers

#### **Sheet Metal Locking Pliers**

Packing: 1





Stock No.	Jaw Capacity (inches)	Length (inches)
VGP12808	1 <sup>3</sup> /4	8

- Wide jaws allow clamping, bending, forming and crimping of sheet metal without gripping effort
- E-coat provides extra resistance against corrosion and welding splatter
- Quality cold-rolled steel ensures years of service
- Drop forged jaws ensure a tough, durable tool
- Smooth rounded edges allow comfortable handling and reduce risk of
- Spring-loaded release lever permits quick "NO PINCH" release even when tool is firmly locked
- Piano wire spring provides smooth jaw opening
- Adjustment bolt features deep knurl to accommodate greasy hands
- · Locking nut allows setting for repetitive jobs
- Drilled (not punched) holes in mobile jaw ensure maximum bearing with rivets for smooth action
- Large diameter rivets add strength and durability

#### Retaining Ring Pliers, Internal

PR7



Order NO.: 605008



Tip Kit Included	Tip Sizes Included	Optional Kits	Optional Tip Sizes
PR7-1	.120", 0°	PR7-2	.120", 45°
Optional Kits	Optional Tip Sizes	Length (inches)	Ring Size Range (inches)
PR7-3	.120", 90°	15 <sup>11</sup> / <sub>16</sub>	3 1/16 - 6 1/4

• Retaining ring pliers, interchangeable tip

#### Retaining Ring Pliers, External

Packing: 1

PR8 Order NO.: 605009



Tip Kit Included	Tip Sizes Included	Optional Kits	Optional Tip Sizes
PR7-1	.120", 0°	PR7-2	.120", 45°
Optional Kits	Optional Tip Sizes	Length (inches)	Ring Size Range (inches)
PR7-3	.120", 90°	15 <sup>11/</sup> 16	3 1/16 - 6 1/4

Retaining ring pliers, interchangeable tip

#### Retaining Ring Pliers, Internal

Packing: 1

PR54 Order NO.: 605010



Tip Kit Included	Tip Sizes Included	Optional Kits	Optional Tip Sizes
PR54-1	.150", 0°	PR54-2	.150", 45°
Optional Kits	Optional Tip Sizes	Length (inches)	Ring Size Range (inches)
PR54-3	.150", 90°	29	6 <sup>1</sup> / <sub>2</sub> - 10

• Retaining ring pliers, interchangeable tip, internal, 29"

#### Retaining Ring Pliers, External

PR53

Packing: 1

Order NO.: 605011



Tip Kit Included	Tip Sizes Included	Optional Kits	Optional Tip Sizes
PR53-1	.170", 0°	PR53-2	.170", 45°
Optional Kits	Optional Tip Sizes	Length (inches)	Ring Size Range (inches)
PR53-3	.170", 90°	19	6 <sup>1</sup> /2 - 10

Retaining ring pliers, interchangeable tip, external, 19"

#### **Bolt Cutter, Heavy Duty**



Stock No.	Capacity- (Soft Material) (inches)	Capacity- (Hard Material) (inches)	Length (inches)	Weight (kg)	•	Order No.
BLPBC18	3/8	1/4	18	1.55	2	606001
BLPBC24	<sup>7</sup> / <sub>16</sub>	<sup>5</sup> / <sub>16</sub>	24	2.55	2	606002
BLPBC30	1/2	3/8	30	3.90	1	606003
BLPBC36	9/16	<sup>7</sup> / <sub>16</sub>	36	6.45	1	606004

- Ideal for cutting rod, bolts, concrete form ties and fencing wire
- Hardened alloy steel jaws
- Center cut jaw configuration provides balance while cutting
- Cuts soft or hard materials
- Rubber gripped steel handles ensure firm grip during use

#### **Bolt Cutter Replacement Jaws**



Stock No.	Description		Order No.
BLPBC18-1	Bolt Cutter Replacement Jaws, 18"	1	606005
BLPBC24-1	Bolt Cutter Replacement Jaws, 24"	1	606006
BLPBC30-1	Bolt Cutter Replacement Jaws, 30"	1	606007
BLPBC36-1	Bolt Cutter Replacement Jaws, 36"	1	606008

- · Ideal for cutting rod, bolts, concrete form ties and fencing wire
- Hardened alloy steel jaws
- Center cut jaw configuration provides balance while cutting
- Cuts soft or hard materials









## **Torque Tools**

Our torque wrenches are made in the USA where the best torque products come from.

Each unit is factory calibrated and certified to meet ASME specified accuracy on a torque standard traceable to the National Institute of Standards and Technology.

Designs like the sealed high strength ratchet head keeps out dirt and moisture in the harshest environment giving you a reliable tool that constantly deliver accurate results.

Its internal mechanism is also permanently lubricated during assembly for a trouble free service life.

You can thus be assured of accuracy, reliability and a maintenance-free equipment when getting our torque products.



Adjustable Click-Type

Preset Click-Type Electronic Type Digital Torque Testers

72

72

74

75



## Torque Tools Adjustable Click-Type / Preset Click-Type

#### Adjustable Click-Type Torque Wrench





Stock No.	Square Drive (inches)	Range (Nm)	Range (Ft.Lb.)	Increment (Nm)	A (mm)	B (mm)	Weight (g)		Order No.
BP501NMRMH	1/4	1.0 - 5.0	1 - 4	0.06	258	27	386	1	203001
BP2502NMRMH	3/8	4.0 - 27.7	3 - 20	0.12	286	27	431	1	203002
BP602NMRMH	3/8	10 - 60	8 - 45	0.5	406	36	1,134	1	203003
BP1002NMRMH	3/8	20 -100	15 - 75	0.5	406	36	1,134	1	203004
BP2003NMRMH	1/2	40 -200	30 - 150	2	483	43	1,474	1	203005
BP3403NMRMH	1/2	60 -340	45 - 250	2	620	43	1,542	1	203006
BP8004NMRMH	3/4	150 - 800	110 - 600	5	1,067	64	5,375	1	203007
BP15005NMRMH	1	300 -1500	220 -1100	10	1,778	76	11,385	1	203008

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scales
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Accuracy: ± 3% CW ± 4% CCW of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14-2004, ISO 6789 standards
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.

#### Preset Click-Type Torque Wrench



Stock No.	Square Drive (inches)	Range (Nm)	Range (Ft.Lb.)	Range (In.Lb.)	Range (M Kg)	Length (mm)	Weight (g)		Order No.
BP5T-1R	1/4	1.4- 5.4	1-5	12 - 60	0.10 - 0.70	165	227	1	204001
BP10T-2R	3/8	3.9-27.7	3-9	36 - 108	0.42 - 1.24	184	397	1	204002
BP50T-2R	3/8	10.2 - 98.3	10 - 50	120 - 600	1.25 -7.00	292	680	1	204003
BP100T-3R	1/2	34- 197	45 - 150	540 - 1800	6.00 - 20.00	502	1,247	1	204004
BP200T-3R	1/2	47 - 272	45 - 200	540 - 2400	6.00 - 27.00	603	1,361	1	204005
BP300T- 4R	3/4	85 - 400	100 - 300	1200 - 3600	14.00 - 42.00	711	2,155	1	204006
BP600T- 4R	3/4	280 - 830	200 - 600	2400 - 7200	28.00 - 83.00	1,321	5,443	1	204007

- Torques in both left and right hand directions
- Accuracy: ± 3% CW ± 4% CCW of indicated value
- Automatic re-set when force on handle is released
- Torque limiting positive sensory "click" when pre-set
- Smooth knurled steel hand hold for comfortable, safe grip
- Handle length proportioned to torque range of wrench for minimum user fatique
- Tamper proof torque setting for production line use
- Torque values can be calibrated in English and Metric settings
- All parts are made of alloy steel for maximum life and calibration retention
- Square drives meet industrial requirements and government specifications

#### Preset Click-Type Torque Wrench, "L" Series





Stock No.	Square Drive (inches)	Range (Nm)	Range (Ft.Lb.)	Length (mm)	Weight (g)	<b>P</b>	Order No.
BP10T-2RL	3/8	4 - 30	21 - 20.4	184	450	1	204016
BP50T-2RL	3/8	10 - 100	7.3 - 72.2	350	700	1	204017
BP100T-3RL	1/2	35 - 200	25 - 145	530	1220	1	204018
BP200T-3RL	1/2	45 - 280	34.6 - 200	630	1380	1	204019
BP250T-3RL	1/2	60 - 340	44.2 - 250.8	630	1380	1	204020

- A higher performance wrench than similar ones offered by the competitor
- Blue-point ratchet heads are smaller than competitor
- Blue-point 40 tooth ratchet head vs. the competitor; much less "swing arc"
- Blue-point wrench tubes are smaller diameter at the throat; greater access
- Ratchets are bi-directional
- High durability survived 50,000 cycle testing in both directions; competitor failed at 12,000 cycles
- Improved calibration performance; Blue-point remained calibrated after 25,000 cycles. Competitors wrench fell out of calibration prior to required 5,000 cycles






## Torque Tools Preset Click-Type

#### Preset Click-Type Torque Wrench, Interchangeable Head





Stock No.	Shank Size	English Range	Range (Nm)	A (mm)	B (mm)	C (mm)	D (mm)	Weight (g)	•	Order No.
BP5T-I	J	10 - 50 in.lb.	1.1 - 5.6	165	16	15	25	159	1	204008
BP10T-I	J	50 - 250 in.lb.	5.6 - 28	254	16	15	25	249	1	204009
BP10ST-I	J	60 - 300 in.lb.	6.8 - 34	157	17	22	36	340	1	204010
BP50T-I	J	15 - 75 ft.lb.	20 - 102	279	17	22	36	635	1	204011
BP100T-I	Y	30 - 150 ft.lb.	41 - 203	495	24	22	36	1,043	1	204012
BP200T-I	Y	40 - 200 ft.lb.	54 - 271	597	24	22	36	1,179	1	204013
BP300T-I	Х	100 - 300 ft.lb.	135 - 406	704	28	25	36	1,769	1	204014
BP600T-I	Z	120 - 600 ft.lb.	162 - 814	1,397	38	32	32	4,740	1	204015

- Eight models available with torque ranges from 10 in. lb. to 600 ft. lb.
- Featuring a durable, non-slip cushion grip
- Uses universal round shank heads
- Audible click and feel impulse torque control mechanism
- Tamper proof torque setting for production line use
- Torque values can be calibrated in english or metric setting
- Accuracy: ± 4% of indicated value, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14-2004, ISO 6789
- Calibration certificate available at additional cost

#### Ratcheting Interchangeable Head



Center of fastener to retaining pin: \* J Series - 2.50"

\* Y Series - 3.00"

\* X Series - 4.50"

\* Z Series - 5.75"

Allow use of torque wrench bodies with sockets, crowfoot wrenches, or other similar attachment.

Square Drive (inches)	Shank Size J	Shank Size Y	Shank Size X	Shank Size Z	Head O.D. (mm)	Depth (mm)	Ratchet Service Kit
1/4	QJD8A-72* (350)	_	_	_	3	3.5	RKRT936
3/8	QJD12A* (900)	QYD12A* (1,200)	_	_	17	4.4	RKRF936
1/2	QJD16A* (900)	QYD16A* (2,400)	QXD16A* (3,000)	_	17	4.4	RKRS936
3/4	_	_	QXD24A (3,600)	QZD24B (7,200)	20	4.4	RKRQC4
1	_	_	QXD32A (3,600)	QZD32B (7,200)	20	4.4	RKRQC5

<sup>\*</sup> U.S. Patent 6,125,722 applies to these ratchet heads Value in parentheses in chart is the Maximum Recommended Working Torque, in. lb.

#### Open End Head, mm




	Shank Size J	Shank Size Y	Shank Size X	Shank Size Z	Head O.D. (mm)	Head Depth (mm)	<b>●</b> <u>I</u>	Shank Size J	Shank Size Y	Shank Size X	Shank Size Z	Head O.D. (mm)	Head Depth (mm)
6	QJOM6A (60)	_	_	_	13.5	3.6	20	_	QYOM20A (1,925)	QXOM20A (1,925)	_	43.7	9.2
7	QJOM7A (75)	_	_	_	13.5	3.6	21	QJOM21A (900)	QYOM21A (2,160)	QXOM21A (2,160)	_	43.7	9.2
8	QJOM8A (120)	_	_	_	16.5	3.3	22	QJOM22A (900)	QYOM22A (2,400)	QXOM22A (2,470)	_	43.7	9.2
9	QJOM9A (170)	_	_	_	19.8	4.8	23	QJOM23A (900)	QYOM23A (2,400)	QXOM23A (2,745)	_	47	10
10	QJOM10A (265)	_	_	_	19.8	4.8	24	QJOM24A (900)	QYOM24A (2,400)	QXOM24A (2,970)	QZOM24A (2,970)	49	11
11	QJOM11A (400)	_	_	_	22.9	5.6	25	QJOM25A (900)	QYOM25A (2,400)	_	QZOM25A (3,295)	52	11
12	QJOM12A (430)	_	_	_	26.9	6.1	26	QJOM26A (900)	_	QXOM26A (3,570)	QZOM26A (3,570)	53	11
13	QJOM13A (495)	_	_	_	26.9	6.1	27	QJOM27A (900)	QYOM27A (2,400)	_	QZOM27A (3,825)	55	12
14	QJOM14A (665)	QYOM14A (665)	_	_	29.5	6.6	29	_	QYOM29A (2,400)	QXOM29A (3,600)	QZOM29A (4,550)	58	12
15	QJOM15A (885)	QYOM15A (885)	_	_	33.3	6.9	30	_	QYOM30A (2,400)	QXOM30A (3,600)	QZOM30A (4,950)	61	13
16	QJOM16A (900)	QYOM16A (1,060)	_	_	33.3	6.9	32	_	QYOM32A (2,400)	QXOM32A (3,600)	QZOM32A (5,755)	65	14
17	QJOM17A (900)	QYOM17A (1,235)	_		37.1	7.3	34	_	QYOM34A (2,400)	QXOM34A (3,600)	QZOM34A (6,595)	68	14
18	QJOM18A (900)	QYOM18A (1,375)	QXOM18A (1,375)	_	37.1	7.3	36	_	QYOM36A (2,400)	QXOM36A (3,600)	QZOM36A (7,200)	74	15
19	QJOM19A (900)	QYOM19A (1,650)	QXOM19A (1,650)	_	40.4	7.6							

Value in parentheses is the Maximum Recommended Working Torque, in. lb.



## Torque Tools Electronic Type

#### Computorq 3 Digital Torque Wrench



- Uses CR123 replaceable batteries
- Audible tone indication

#### Computorq 3 Digital Torque Wrench



- Sleek new design
- 15-degree flex ratcheting head
- Push button socket release head
- Large, easy to read digital display
- Long battery life, uses 2 each CR123 lithium batteries
- Ergonomically designed molded non-slip rubber grip
- Torques in both clockwise and counterclockwise directions
- Battery saving auto-shutoff after two minutes
- COMPUTORQ 3 remembers last unit and torque setting selected
- Audible tone sounds when set torque value is reached, if the set torque value is exceeded, an alarm tone will sound
- 3 color LED light bar
  - YELLOW LED indicates approaching desired torque setting GREEN LED indicates desired torque value is reached RED LED indicates fastener was overtorqued, loosen and retighten
- When desired torque value is reached, display will hold value and flash for ten seconds
- COMPUTORQ 3 will operate in any of four torque units, foot pounds (ft. lbs.), inch pounds (in. lbs.), newton meter (Nm) or kilogram centimeter (kg. cm.)
- ACCURACY:
- ± 2% CW of readings from 10% to 100% of full scale ± 3% CCW of readings from 20% to 100% of full scale
- N.I.S.T. traceable certificate of calibration included Meets or exceeds ASME B107.28 - 2005

Stock No.	Square Drive (inches)	Range (Ft. Lb. )	Range (In. Lb. )	Range (Nm)	Range (Kg. Cm.)	Length (mm)	Weight (g)	<b>V</b>	Order No.
BP2401Cl3	1/4	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	381	910	1	205001
BP1002CF3	3/8	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	432	1,000	1	205002
BP2503CF3	1/2	25 - 250	300 - 3000	33.8 - 338	345 - 3456	686	1,590	1	205003



## Torque Tools Digital Torque Testers

#### **Digital Torque Tester**



- Integral Transducer and sturdy housing allow mounting in virtually any position
- Integral Transducer: Full bridge strain gage, 350 ohm, 1500uE, 3mV/V F.S, 3.75 excitation
- Units of Torque: Nm, kgcm, ft.lb., in.lb., in-oz.
- Audible (tone)
- Torque Accuracy: ±0.5% ±1 count CW and CCW from 10 to 100% of full scale at 25° C
- LCD Touch Screen: 4.7 in. color graphics display
- Screen resolution: 480 X 272 pixels
- Display Accuracy: 4 digits, 500 cycle counts
- Six "AA" Alkaline cells for battery power included
- Track, Peak and First Peak modes of operation
- Operating Temperature: 40 to 110° F (5 to 42° C)
- Storage Temperature: 0 to 122° F (-20 to 50° C)
- Humidity up to 85% non-condensing
- ISO-6789-2003 and ASME B107-28-2005 standards compliant
- Certificate of N.I.S.T. traceability from 10% to 100% of full scale
- Includes storage case, AC adapter and USB cable110 220v
- Dates & times, serial numbers, required accuracy vs actual readings, percentage error & users of torque wrenches tested are stored

Stock No.	Square Drive (inches)	English Range	Range (Nm)	<b>P</b>	Order No.
BP1001-O-DTT	1/4	10 - 100 in.oz.	0.07 - 0.706	1	206001
BP501-I-DTT	1/4	5 - 50 in.lb.	0.56 - 5.65	1	206002
BP2502-I-DTT	3/8	25 - 250 in.lb.	2.82 - 28.25	1	206003
BP2503-F-DTT	1/2	25 - 250 ft.lb.	33.90 - 338.9	1	206004
BP6004-F-DTT	3/4	60 - 600 ft.lb.	81.35 - 813.5	1	206005
BP10002-I-DTT	3/8	100 - 1000 in.lb.	11.3 -113	1	206006



#### **Digital Torque Tester**





LCD touchscreen with colour display

Uses disposable batteries and ac adaptor



High accuracy of +-0.5%

- Remembers last 500 cycle counts
- Audible tone signals



# Power Tools



In making our power tools, we observed the fact that not only has it got to be durable and perform well, it is not much good if you are fighting excess weight, vibration and noise. Basing on this, we come up with a whole range of power tools that embrace these qualities and more.

#### Air

Our impact wrench feature unique twin hammer impact mechanism to deliver more power per blow. Having more vanes in the rotor also helps in delivering more power as well as a smoother power transfer to the impact hammers. The aluminium alloy housing maintains tool toughness and durability. All these are achieved while keeping weight and vibration to a minimum.

#### **Cordless**

Heavy duty components combined with strong and lightweight bodies give our cordless tools more power while being light. Ergonomic grips coupled with vibration absorbing features offer a smoother, more comfortable operation. And long lasting high capacity batteries allow you to work longer with less disruption. The result is a compact power tool that is lightweight, balanced and delivers performance you need.

Air Tools Cordless Impact Sockets Accessories 93 94 102



#### 1" Impact Wrench, Heavy Duty

Packing: 1

AT1300A Order NO.: 701001



#### AT1300AL (6"long Anvil)

Order NO.: 701002

Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1	4,068	4,000	505
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
150	1/2"-14 NPT	1/2	4.4
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
103	533	11.6	_

- Fast, 4,000 RPM free speed-strong 3,000 ft. lb. maximum torque output
- Workhorse performance for use on trucks, buses and heavy equipment
- Steel nose for rugged, demanding applications
- Pin clutch style impact mechanism for fast startup and high torque requirements

#### 3/4" Drive Impact Wrench

Packing: 1

AT670 Order NO.: 701066

Order NO.: 701066



3/8"-18 NPT	<sup>3</sup> /4 in.	1,050 ft. lbs.	6.700
Air Inlet Thread Size	Drive Size	Max Torque	Free Speed RPM

- Aluminium nose with composite body for lightweight & durability
- Twin-hammer mechanism easily removes stubborn nuts
- Three-position lever controls amount of torque
- Two-way push buttons controls Forward/Reverse rotation

#### 1/2" Impact Wrench, Soft Handle

Packing: 1

AT555B Order NO.: 701007



Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1/2	644(F), 745(R)	6,800 (F), 7,500 (R)	1,000
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
62	<sup>1/</sup> 4" -18 NPT	3/8	3.75
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
100	198	2.6	AT555BOOT

- Powerful twin hammer clutch
- Reverse bias air motor provides greater power in reverse when extra breakaway torque is needed
- Built-in power regulator
- Molded ergonomic handle grip
- Quiet Muffler
- Through-handle exhaust

#### 1/2" Impact Wrench, Composite Rear Housing ATC500

Packing: 1

Order NO.: 701009



Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1/2	712	10,500	1,250
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
99	<sup>1</sup> /4" -18 NPT	3/8	<2.5
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
95.5	198	2.3	IMC500BOOT

- Aluminum front housing and composite rear housing contribute to an extremely durable, lightweight, balanced unit
- Ribbed, textured handle for maximum comfort and control
- Four position power regulator for greater job versatility
- Twin hammer impact mechanism for longer life and greater power





## 1/2" Impact Wrench

AT123B Order NO.: 701005



#### AT123BL (2" Long Anvil)

Order NO.: 701006

Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1/2	576	9,000	1,000
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
79	<sup>1/</sup> 4" -18 NPT	3/8	13
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
108	185	2.6	AT123-45

- Twin hammer impact mechanism provides harder hitting blows
- Steel nose case with lightweight aluminum housing
- Pressure feed grease lubrication
- Convenient slide bar forward/reverse

#### 1/2" Composite Impact Wrench

Packing: 1





Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1/2	773	6,900(F), 7,000(R)	1,050
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
5.0 cfm(F), 5.3 cfm (rev.)	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	6.08
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
95	184	1.87	AT570BOOT

- Shot Peen Anvils for improved durability
- Reverse Bias motor provides additional breakaway torque
- 3 position regulator to control power
- One handed forward/reverse lever for user convenience
- Composite housing with aluminum nose combine to deliver a durable, lightweight and balanced unit.
- Twin hammer impact mechanism delivers hard hitting blows to quickly remove stubbom fasteners

#### **Impact Wrench**

housing







Five-position air speed regulator; convenient slide bar forward/reverse



Pressure feed grease **lubrication** 













#### 3/8" Impact Wrench

Packing: 1

AT380A Order NO.: 701010



Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
3/8	230	8,700	1,680
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
111	<sup>1/</sup> 4" -18 NPT	3/8	3.5
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
94	165	1.36	AT380ABOOT

- 10% more power than the AT380
- Built-in five position adjustable air regulator plus a variable speed trigger for maximum user control
- Aluminum housing provides a lightweight yet durable tool
- Tapered nose increases accessibility to confined areas
- Ball-bearing mounted motor creates a smooth running operation for less user fatigue
- Brass inlet filter screens out dirt and grit; easy-to-remove filter for cleaning
- Twin-hammer impact mechanism designed to hit hard yet offer tool longevity. One-year limited warranty

#### 3/8" Impact Wrench, Composite

Packing: 1

AT370 Order NO.:701065





Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
3/8	434	10,000(F), 11,000(R)	1,050
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
4.4 cfm(F), 4.7 cfm (R)	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	3.25
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
92	160	1.19	AT370BOOT

- Shot Peen Anvils for improved durability
- Reverse Bias motor provides additional breakaway torque
- 3 position regulator to control power
- One handed forward/reverse lever for user convenience
- Composite housing with aluminum nose combine to deliver a durable, lightweight and balanced unit.
- Twin hammer impact mechanism delivers hard hitting blows to quickly remove stubbom fasteners

#### 3/8" Impact Wrench, Single Hammer

Packing: 1





Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
3/8	237	11,000	1,500
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
108	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	9.8
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
109	155	1.3	AT321-44

- Single hammer impact mechanism
- Steel nose case with lightweight aluminum housing
- Convenient slide bar forward/reverse

#### 3/8" Impact Wrench, Compact

Packing: 1

Order NO.:701013

AT351



Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
3/8	237	9,700	1,200
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
71	<sup>1/</sup> 4" -18 NPT	3/8	3.09
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
109.2	194	1.2	_

- Built-in air inlet swivel
- 8 position power regulator
- Rotary action air motor is ball bearing mounted for balance, speed and power
- Ideal tool for small engine repair and bench work





#### 1/4" Impact Wrench, Mini

Packing: 1

AT235MCA Order NO.: 701014



Drive Size (inches)	Max. Torque (N•m)	Free Speed RPM	Blows per Minute
1/4	34	13,000	2,900
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
47	<sup>1/</sup> 4" -18 NPT	3/8	<2.5
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
95.1	158	64	_

- Composite housing contributes to an extremely durable, lightweight unit with new molded comfort grip
- Composite housing is not cold to the touch
- Forward/Reverse mechanism easily operated with one-finger
- Large, variable speed trigger for control
- Exhaust is from the handle bottom, keeping exhaust away from work area and user

#### 3/8" Ratchet

Packing: 1

AT704A



Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
3/8	6 - 75	200	111
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	<3.9	104
Length (mm)	Weight (kg)		Vinyl Boot (included)
266	1.5		_

- Lightweight aluminum housing
- Rugged ball bearing mounted air motor and precision planetary gear system
- Easy to use variable speed throttle plus adjustable air regulator

#### 1/2" Ratchet

Packing: 1

AT705B Order NO.: 701015



Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/2	6 - 68	150	85
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	8.7	89
Length (mm)	Weight (kg)	Vinyl Boot (included)	
273	1.14	AT700E49A	

- 1/2" drive ratchet in a 3/8" drive body
- Delivers 50 ft. lb. of maximum torque
- Ball bearing mounted motor for longer tool life

#### 3/8" Ratchet, High Torque

AT702 Order NO.: 701018

Packing: 1



Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)	
3/8	6 - 81	200	85	
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure	
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	12.6	95	
Length (mm)	Weight (kg)	Vinyl Boot (included)		
265	1.1		AT700E49A	

- Flywheel mechanism
- Rugged ball bearing mounted air motor coupled with precision planetary gear system
- Easy to use variable speed throttle and adjustable air regulator













Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
3/8	0 - 81	300	113
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	5.9	102
Length (mm)	Weight (kg)	Vinyl Boot (included)	
285	1.3	AT738BOOT	

- Reactionless mechanism absorbs kickback when running fasteners tight
- High RPM removes fasteners quickly
- Adjustable air regulator
- Ideal tool for spark plugs, water pumps, shocks and muffler clamps



AT203A Order NO.:701020



Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/4	6 - 34	285	88
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> /4" -18 NPT	3/8	<4.4	100
Length (mm)	Weight (kg)	Vinyl Boot (included)	
188	57	<u> </u>	

- Lightweight aluminum housing
- Rugged ball bearing mounted air motor and precision planetary gear system
- Easy to use variable speed throttle plus adjustable air regulator





Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
3/8	6 - 61	150	85
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	8.7	89
Length (mm)	Weight (kg)	Vinyl Boot (included)	
257	1.6	AT700E49A	

- Lightweight aluminum housing
- Rugged ball bearing mounted air motor and precision planetary gear system
- Easy to use variable speed throttle plus adjustable air regulator





Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/4	6 - 27	150	40
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	3.3	85
Length (mm)	Weight (kg)	Vinyl Boot (included)	
222	50	AT200D22A	

- Lightweight aluminum housing
- Rugged ball bearing mounted air motor and precision planetary gear system





#### 1/4" Ratchet, Mini

Packing: 1 Order NO.: 701022



Drive Size (inches)	Torque Range (N•m)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/4	6 - 30	275	68
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	<1.7	91
Length (mm)	Weight (kg)	Vinyl Boot (included)	
127	66		_

- Ideal for working in tight quarters
- Head clearance is less than 3/4"
- Includes variable speed trigger, adjustable air regulator and 5' nylon braided whip hose for maneuverability and control
- Polished aluminum housing provides strength and durability

#### Spotweld Drill AT184 Packing: 1 Order NO.: 701023



Chuck Size (inches)	Rated Power (kW)	Torque Range (N•m)	Free Speed RPM
5/16	_	_	1,800
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)
238	<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	<1.0
Sound Level dBa Pressure	Length (mm)	Weight (kg)	Spotweld Drill Bit (8mm) (included)
84	201	1.4	AT183-50
Spotweld Drill Bit (6.5mm) (optional)	Support Arm 5 (optional)	5.5 Spot	weld Drill Bit (10mm) (optional)
AT183-43	AT184-26A		AT183-51

- Twist depth control collar allows precise setting of drilling depth up to 1/4"
- Two speed trigger for low or high speeds
- Pistol grip design
- Includes one 5/16" (8 mm) drill bit and removeable clamp arm

#### 1/2" Drill

Packing: 1

AT204

AT5000 Order NO.: 701024



Chuck Size (inches)	Rated Power (kW)	Torque Range (N•m)	Free Speed RPM
1/2	0.33	0 - 14	490
Spindle Thread (inches)	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)
1/2 -20 UNF	108	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8
Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
<2.5	82	229	1.7
Auxilia	ry Handle	Vinyl Boo	t (optional)
PD	AH1A	AT500	0BOOT

- One hand forward/reverse operation
- Three planet gear design for durability and balance
- Bottom handle diffused exhaust
- Comfort grip handle
- Keyed chuck easily handles 120 in. lbs. of torque
- Chuck key stores in handle

#### 3/8" Drill

Packing: 1







Chuck Size (inches)	Rated Power (kW)	Torque Range (N•m)	Free Speed RPM
3/8	0.15	0 - 4	2,000
Spindle Thread (inches)	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)
3/8 -24 UNF	99	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8
Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
<2.5	105	194	1.4
Auxiliary Handle		Vinyl Boo	t (optional)
_		AT300	0BOOT

- One hand forward/reverse operation
- Three planet gear design for durability and balance
- Bottom handle diffused exhaust
- Comfort grip handle
- Keyless chuck saves time when changing bits













#### 3/8" Drill, Angle

Packing: 1

AT811 Order NO.: 701026



Chuck Size (inches)	Rated Power (kW)	Torque Range (N•m)	Free Speed RPM
3/8	0.19	0 - 6	1,320
Spindle Thread (inches)	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)
3/8 -24 UNF	95	<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8
Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
<0.8	110	208	1.1

- Rugged, reversible right angle drill gets in tight spots comfortably
- Convenient one hand push button forward/reverse
- Rear exhaust keeps air away from the work area
- Built in chuck key holder keeps the key at hand for quick bit changes
- Paddle style trigger for greater comfort
- Ball bearing construction for longer tool life
- · Lightweight helps avoid fatigue during prolonged use
- Bottom handle diffuse exhaust

#### Hammer

Packing: 1



Bore Diameter (inches)	Blows per Minute	Piston (inc	Stroke hes)	Shank Opening (mm)
3/4	3,400	2.	75	10.1
Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recomme Size (i		Vibration Level (m/s²)
71	<sup>1</sup> /4" -18 NPT	5/	16	3.0
Vibration Level ( m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)	Vinyl Boot (optional)
3	99	187	2.1	AT2050BOOT

- Intended for heavy duty applications such as cutting large bolts and rivets, separating ball joints, cutting heavy gauge sheet metal and driving bushings
- Comfort grip handle
- Includes quick change retainer

#### 1/4" Drill, Micro

Packing: 1

AT801MCA Order NO.: 701027



Chuck Size (inches)	Rated Power (kW)	Torque Range (N•m)	Free Speed RPM
1/4	0.19	0 - 2	1,800
Spindle Thread (inches)	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size	Recommended Hose Size (inches)
3/8-24 UNF	266	<sup>1/</sup> 4 "-18 NPT	3/8
Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
<2.5	96.4	183	0.68

- Composite housing with new molded comfort grip is more comfortable for the user while providing less user fatigue
- Small size, light weight and a powerful motor make this tool ideal for working in confined areas
- Durable single piece polymer composite housing stands up to rugged use, resists most shop chemicals and helps insulate against the cold generated by an air tool

Variable speed trigger

#### 1/4" Die Grinder, Standard

Packing: 1

AT115 Order NO.: 701029



Collet Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/4 (6.35mm)	0.15	22,000	113
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1/</sup> 4" -18 NPT	3/8	<2.5	102
Length (mm)		Weight (kg)	
165		0.61	

- Intended for most standard deburring operations
- Ergonomic handle grip increases comfort and control
- Safety lever throttle
- Built-in speed regulator
- Brass bearing cap and hose adaptor
- Rear diffused exhaust





#### 1/4" Die Grinder, Right Angle Mini Packing: 1

AT118 Order NO.: 701030



Collet Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
1/4 (6.35mm)	0.15	20,000	59
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	2.5	104
Length (mm)		Weight (kg)	
140		(	0.50

- Clean dies, rotors, backing plates and brake pad mounts
- Remove gasket material
- Grind dies and valve seats
- Dress welds and enlarge holes
- Compact mini-design with 90° angled head for easy access
- Ergonomic handle grip increases comfort and control
- Safety lever throttle
- Built-in speed regulator
- Brass bearing cap and hose adaptor

#### 1/4" Die Grinder, Standard Packing: 1

AT105 Order NO.: 701031





Collet Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
<sup>1</sup> / <sub>4</sub> (6.35mm)	0.15	22,000	113
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> /4" -18 NPT	3/8	<2.5	102
Length (mm)		Weight (kg)	
165		(	0.61

- Aluminum housing for long lasting durability
- Intended for most standard deburring operations
- High quality bearings improve productivity with less repair
- Rear exhaust directs air away from work area

#### 1/4" Die Grinder, Right Angle Mini

Packing: 1

AT109 Order NO.: 701032



Collet Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
<sup>1</sup> / <sub>4</sub> (6.35mm)	0.15	20,000	59
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> "-18 NPT	3/8	2.5	104
Length (mm)		Weight (kg)	
140		0.50	

- Aluminum housing for long lasting durability
- Compact mini design with 90° head for easy access
- High quality bearings improve productivity with less repair
- Rear exhaust directs air away from work area

#### Die Grinder Kit

Packing: 1



AT109DGK
Order NO.: 701033

Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)	Air Inlet TI	hread Size
0.15	20,000	59	<sup>1</sup> /4" -18	B NPT
Recommended Hose Size (inches)	Vibration Level ( m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
3/8	2.5	104	140	0.50

- Aluminum housing
- Compact mini design

Includes: AT109 mini angle die grinder plus 2" (50.8mm) ROLOC® pad (1 ea.), 2" (50.8mm) coarse discs (2 ea.), 2"(50.8mm) medium discs (2 ea.), 2" (50.8mm) 24 grit discs (2 ea.), 2" (50.8mm) 36 grit discs (2 ea.), 2" (50.8mm) crud discs (2 ea.), 3" (76.2mm) ROLOC® pad (1 ea.), 3" (76.2mm) 50 grit discs (2 ea.), 3" (76.2mm) 120 grit discs (2 ea.), 3" (76.2mm) crud discs (2 ea.), 1/4" shank adaptor (1 ea.)









and spanner wrenches (2 ea.) in storage case



#### 1/4" Die Grinder, Mini

AT119 Packing: 1 Order NO.: 701034



Recommended Air Pressure, psig (kPa)	Air Consumption, Free Speed (L/MIN)	Free Speed RPM
620	85	20,000
Sound Level, free speed, dBa	Collet Size (inches)	Overall Length, inches (mm)
100	1/4	165

- 115 degree offset head provides a more ergonomic grinding position
- Thread-on style disc provides a more compact head
- One 2" quick-change disc included so tool is ready for your abrasive pad

#### Die Grinder Kit

Packing: 1



AT119DGK Order NO.: 701035

Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size
33	2,000	59	<sup>1</sup> / <sub>4</sub> " -18 NPT
Recommended Hose Size(inches)	Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)
3/8	<6.92	100	173

- Thread-on style disc provides a more compact head than collet
- 115° offset head provides a more ergonomic grinding position
- Ideal for cleaning dies, rotors, backing plates and gasket material Includes: 115° Mini Offset Angle Die Grinder plus: 2" (50.8mm) ROLOC® pad (1 ea.), 2" (50.8mm) coarse discs (2 ea.), 2" (50.8mm) medium discs (2 ea.), 2" (50.8mm) 24 grit discs (2 ea.), 2" (50.8mm) 36 grit discs (2 ea.), 2" (50.8mm) crud discs (2 ea.), 3" (76.2mm) ROLOC® pad (1 ea.), 3" (76.2mm) coarse discs (2 ea.), 3" (76.2mm) medium discs (2 ea.), 3" (76.2mm) 50 grit discs (2 ea.), 3" (76.2mm) 120 grit discs (2 ea.), 3" (76.2mm) crud discs (2 ea.), and spanner wrench (1 ea.) in storage case

#### Die Grinder, Pencil Packing: 1

AT1070A Order NO.: 701036



Collet Size Rated Power (inches) (kW)		Free Speed RPM	Air Consumption, Free Speed (L/MIN)
<sup>1</sup> / <sub>8</sub> (3.18mm)	_	75,000	28
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> /4" -18 NPT <sup>3</sup> / <sub>8</sub> Length (mm)		2.0	72
		Weight (kg)	
135		0.25	

- Twist-action variable speed control
- 5' (1.5 M) long protected air hose
- Used with 1/8" shank grinding accessories higher than 5,4000 RPM
- Ideal for tight spaces and easy cleaning of dies, rotors and brake pads

#### Die Grinder, Pencil, Right Angle

Packing: 1

AT1070RA Order NO.: 701037



Collet Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)
<sup>1/8</sup> (3.18mm)	_	75,000	28
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure
<sup>1</sup> / <sub>4</sub> " -18 NPT <sup>3</sup> / <sub>8</sub>		2.0	72
Length (mm)		Weight (kg)	
150		0.21	

- Right angle lightweight pencil die grinder is ideal for getting in tight spaces
- Use for easy cleaning of dies, rotors, backing plates, brake pads, mounts plus many other applications
- Must be used with 1/8" shank grinding accessories rated higher than 70,000 RPM





### 4" Extended Cut-off Tool

Packing: 1

AT154 Order NO.: 701068



Wheel Size	Rated Power	Free Speed RPM	Air Consumption, Free
(inches)	(kW)		Speed (L/MIN)
4	0.5	15,000	113.3
Air Inlet Thread	Recommended Hose	Vibration Level	Sound Level dBa Pressure
Size	Size (inches)	(m/s²)	
<sup>1</sup> / <sub>4</sub> " -18 NPT	3/8	< 2.86	85
Length	Weight	4" Cutter Wheels	
(mm)	(kg)	(46 grit) (optional)	
348	1.95	AT154RWHLMP	

- Overall tool length of 14.8 in. provides extended reach for easier
- Powerful 0.7 hp motor for maximum performance when cutting under a load
- Built-in regulator permits easy speed adjustment to a maximum free speed of 15,000 RPM
- Side handle offers additional tool control

#### 3" Cut-off Tool, Reversible

Packing: 1

AT157R Order NO.: 701039



Wheel Size	Rated Power	Free Speed RPM	Air Consumption, Free
(inches)	(kW)		Speed (L/MIN)
3	0.33	20,000	99
Air Inlet Thread	Recommended Hose	Vibration Level	Sound Level dBa Pressure
Size	Size (inches)	(m/s²)	
<sup>1/</sup> 4" -18 NPT	3/8	<3.8	100
Length	Weight	3" Cutter Wheels	3" Cutter Wheels
(mm)	(kg)	(36 grit) (optional)	(54 grit) (optional)
185	0.86	AT150-20A	AT150-29A

- Reversible 3" cut-off tool is ideal for use in body shops and other general automotive applications
- Recommended for cutting mufflers, hose clamps, bolts and sheet metal
- Spark direction control
- Safety throttle lever
- Rear diffused exhaust
- Comfort grip handle
- Uses wheels only rated above 18,000 RPM

## 3" Cut-off Tool

Packing: 1

AT153 Order NO.: 701067



ı	Wheel Size (inches)	Rated Power (kW)	Free Speed RPM	Air Consumption, Free Speed (L/MIN)	Air Inlet Thread Size
	3	0.37	17,000	99.1	<sup>1/</sup> 4" -18 NPT
	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure	Length (mm)	Weight (kg)
	3/8	< 2.86	85	218.4	1.5
	3"Cutter Wheels 1/16 " thick (36 grit)(optional)		3"Cutter Wheels 1/32 " thick (54 grit)(optional)		3"Cutter Wheels 3/32 "thick (54 grit)(optional)
	AT150-20A		AT1	50C28A	AT150C29A

- Its compact size is excellent for accessing areas with limited working space
- Heavy-duty bevel gears for tool longevity
- Indexing adjustable guard controls the direction of sparks
- Spindle lock eliminates the need for special wrenches for fast change of cutoff wheels
- Adjustable built-in regulator easily adjusts up to17,000 RPM free speed

#### 4 1/2" Grinder, Compact

Packing: 1

AT415B Order NO.: 701041



Wheel Size (inches)			Air Consumption, Free Speed (L/MIN)	
4 1/2	0.64	12,000	91	
Air Inlet Thread Size	Recommended Hose Size (inches)	Vibration Level (m/s²)	Sound Level dBa Pressure	
<sup>1</sup> / <sub>4</sub> " -18 NPT	<sup>1</sup> / <sub>4</sub> " -18 NPT <sup>3</sup> / <sub>8</sub>		87	
Length (mm)	Weight (kg)	Grinding Disc		
254	1.9	AT415A51		

- 4 1/2" Compact grinder
- Includes (1) 4 1/2" diameter x 3/16" thick grinding disc





